Date: May 2001	Copy No.: 09
To: D. A. Isom	Document No.: DOE/RL-88-21 **0055030**
	Title: HANFORD FACILITY DANGEROUS WASTE PART A PERMIT APPLICATION
MSIN: H6-08	Revision/Release No.: Revision 29

Section Number and Title	Remove			Insert		
	Page(s)	Rev.	Date	Page(s)	Rev.	Date
Volume 1						
Contents	All	28	12/00	1-4	29	05/01
4.2.1.6 T Plant Complex	1-33	7	12/23/98	1-40	8	2/5/01
4.2.1.9 222-S Laboratory Complex	1-23	8A	10/11/00	1-23	9	3/8/01
Volume 2						
Contents	All	28	12/00	1-4	29	05/01
4.2.2.5 PUREX Storage Tunnels	1-10 1-10	5 5A	9/26/96 9/20/00	1-11	5A	9/26/00
4.2.3.6 216-B-63 Trench	1-8	3	09/26/96	1-8	5	11/22/99
Volume 3						
Contents	All	28	12/00	1-4	29	05/01
4.3.1.7 325 Hazardous Waste Treatment Units	1-29	4A	6/29/00	1-30	4A	6/29/00

RECEIPT	
Name: DA Isom	Date: 5/31/01

Environmental Services
G1-27

HANFORD FACILITY DANGEROUS WASTE PART A PERMIT APPLICATION

CONTENTS

Last Update: May 18 2001 10:01AM

DOE/RL-88-21
T Plant Complex
Rev. 8, 2/5/01

FORM 3 **DANGEROUS WASTE PERMIT APPLICATION**

I. EPA/State I.D. No.

W A 7 8 9 0 0 0 8 9 6 7

FOR OFFICIAL USE ONLY

Application Approved	Date Received (month/day/year)	Comments
		Approved 05/15/01

II. FIRST OR REVISED APPLICATION

Place an "X" in the appropriate box in A or B below (mark one box only) to indicate whether this is the first application you are submitting for your facility or a revised application. If this is your first application and you already know your facility's EPA/STATE I.D. Number, or if this is a revised application, enter your facility's EPA/STATE I.D. Number in Section I above.

A. **First Application** (place an "X" below and provide the appropriate date)

☐ 1. **Existing Facility** (See instructions for definition of "existing" facility. Complete Item below.)

MO	DAY	YR
03	22	1943

For existing facilities, provide the date (mo/day/yr) operation began or the date construction commenced. (Use the boxes to the left.)

☐ 2. **New Facility** (Complete item below)

MO	DAY	YR

For new facilities, provide the date (mo/day/yr) operation began or is expected to begin.

B. **Revised Application** (place an "X" below and complete Section I above)

☒ 1. **Facility Has An Interim Status Permit** ☒ 2. **Facility Has A Final Permit**

III. PROCESSES - CODES AND DESIGN CAPACITIES

A. **Process Code** - Enter the code from the list of process codes below that best describes each process to be used at the facility. Ten lines are provided for entering codes. If more lines are needed, enter the code(s) in the space provided. If a process will be used that is not included in the list of codes below, then describe the process (including its design capacity) in the space provided on the (Section III-C).

B. **Process Design Capacity** - For each code entered in column A enter the capacity of the process.
1. Amount - Enter the amount.
2. Unit Of Measure - For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used.

PROCESS	PROCESS CODE	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
STORAGE:		
Container (barrel, drum, etc.)	S01	Gallons or liters
Tank	S02	Gallons or liters
Waste pile	S03	Cubic yards or cubic meters
Surface impoundment	S04	Gallons or liters
Containment building storage*	S06	Cubic yards or cubic meters*
DISPOSAL:		
Injection well	D80	Gallons or liters
Landfill	D81	Acre-feet (the volume that would cover one acre to a depth of one foot) or hectare-meter
Land application	D82	Acres or hectares
Ocean disposal	D83	Gallons per day or liters per day
Surface impoundment	D84	Gallons or liters
TREATMENT:		
Tank	T01	Gallons per day or liters per day
Surface impoundment	T02	Gallons per day or liters per day
Incinerator	T03	Tons per hour or metric tons per hour; gallons per hour or liters per hour
Other (Use for physical, chemical, thermal or biological treatment processes not occurring in tanks, surface impoundments or incinerators. Describe the processes in the space provided: Section III-C.)	T04	Gallons per day or liters per day

Units of Measure	Unit of Measure Code	Units of Measure	Unit of Measure Code	Units of Measure	Unit of Measure Code
Gallons	G	Liters Per Day	V	Acre-Feet	A
Liters	L	Tons Per Hour	D	Hectare-Meter	F
Cubic Yards	Y	Metric Tons Per Hour	W	Acres	B
Cubic Meters	L	Gallons Per Hour	E	Hectares	Q
Gallons Per Day	U	Liters Per Hour	U		

ECY 030-31 Form 3 (Rev. 7/97)

*Add per request of Washington State Department of Ecology (01/2001)

III. PROCESSES – CODES AND DESIGN CAPACITIES *(continued)*

Example for Completing Section III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks; one tank can hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.

Line No.	A. Process Code *(from list above)*			B. Process Design Capacity 1. Amount *(specify)*	B. Process Design Capacity 2. Unit of Measure *(enter code)*	For Official Use Only
X-1	S	0	2	600	G	
X-2	T	0	3	20	E	
1	S	0	2	292,990	L	
2	T	0	1	204,412	V	
3	T	0	4	150	S	
4	S	0	1	946,352	L	
5	S	0	6	35,170	C	
6						
7						
8						
9						
10						

C. Space for additional process codes or for describing other process (code "T04"). For each process entered here include design capacity.

The T Plant Complex (T Plant) was constructed in 1943 and began decontamination operations in 1957.

S02
Liquid mixed waste from treatment activities within T Plant enters T Plant tank system and is stored until transferred to an onsite treatment, storage, and/or disposal (TSD) unit or offsite facility that is capable of managing this waste.

Liquid mixed waste from T Plant treatment activities is currently being stored in 2706-T tank system consisting of tanks 220 and 221. the 221-t tank system consists of six storage tanks: tank 5-6, tank 5-7, tank 5-9, tank 6-1, tank 11-R, and tank 15-1.

The maximum process design capacity for volume of liquid mixes waste that will be stored at T Plant in existing tanks at any time is 292,900 liters (77,400 gallons). The T Plant tank system will be managed in a manner that ensures that the process design capacity is not exceeded.

T01
Liquid mixed waste that is treated in the T plant tank system is transferred to an onsite TSD unit or offsite facility that is capable of managing this waste. This treatment process makes the liquid mixed waste more amenable for transfer and/or storage. The maximum tank treatment process design capacity is 204,412 liters per day (54,000 gallons) per day.

T04
Within T Plant, dangerous and/or mixed waste treatment and storage activities occur in the 2706-T building, 221-T canyon, and in other support facilities and units. Types of treatment that could be required to make the dangerous and/or mixed waste more amenable for storage and/or disposal include those identified in Washington Administrative Code 173-303-380. Treatment associated with dry and liquid dangerous and/or mixed waste could include, but is not limited to sorting, segregation, repackaging, neutralization, absorption, macroencapsulation, and compaction. Treatment capability at T Plant can consist of: (1) complete laboratory analysis and characterization of dangerous and/or mixed waste before transferring the waste to an approved onsite TSD unit or offsite facility; or (2) absorb, neutralize, immobilize, encapsulate, or otherwise stabilize the contents of some containers before transfer;(3) sort and segregate mixed waste from low-level waste; (4) prepare the mixed waste to be acceptable for transfer to an onsite TSD unit or offsite TSD facility; and/or (5) meet land disposal restriction requirements for disposal.

Dangerous and/or mixed waste treatment methods could incorporate a variety of technologies to remove mixed waste contamination. The technologies include, but are not limited to, immersion treatment; spray batch treatment; and steam, water, ice, carbon dioxide, chemical, or abrasive blasting. Various types of equipment (e.g., tools, railroad equipment, buses, trucks, automobiles, cranes, earth moving equipment, other large and small pieces of process equipment, or other equipment and debris) can be decontaminated in 2706-T, 221-T, and other support structures within T-Plant as needed. Liquid mixed waste generated from the decontamination processes is collected and transferred to the 2706-T tank system or transferred directly to a tanker truck. From this tank system, waste is transferred to an onsite TSD unit and/or offsite TSD facility capable of accepting this waste. The maximum process design capacity for treatment is 150 metric tons (165 tons) per day. ["S" equates to "metric tons' in accordance with WAC 173-303-380(2)(c).]

S01
Storage of dry and liquid mixed and dangerous waste in various sized containers, including railroad cars, could take place in the 221-T canyon, 221-T railroad tunnel, 2706-T, 214-T storage building, and in other support structures and storage units located within the boundaries of T Plant. The containers are stored until transfer to an onsite TSD unit or offsite facility. The maximum container storage process design capacity is 946,352 liters (250,000 gallons).

S06

The designation S06 (containment building/storage) indicates mixed waste is stored in the 221-T canyon, 221-T railroad tunnel, and 2706-T and 2706-TA. This waste is considered to be stored in a containment building subject to the requirements of 40 Code of Federal Regulations (CFR) 265, Subpart DD. The mixed waste consists of waste containers, uncontainerized process equipment, jumpers, and various other items awaiting decontamination, treatment, or repackaging before final disposal. The maximum process design capacity for miscellaneous storage is 35,170 cubic meters (46,000 cubic yards).

IV. DESCRIPTION OF DANGEROUS WASTES

A. Dangerous Waste Number - Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describe the characteristics and/or the toxic contaminants of those dangerous wastes.

B. Estimated Annual Quantity - For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.

C. Unit of Measure - For each quantity entered in column B enter the unit of measure code. Units of measuer which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
Pounds	P	Kilograms	K
Tons	T	Metric Tons	M

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. Processes

1. Process Codes:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.
For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.
Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. Process Description: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

1. Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.

2. In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "Included with above" and make no other entries on that line.

3. Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

Example for Completing Section IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

Line No.	A. Dangerous Waste No. *(enter code)*	B. Estimated Annual Quantity of Waste	C. Unit of Measure *(enter code)*	D. Processes	
				1. Pr3cess Codes *(enter)*	2. Process Description *(if a code is not entered in D(1))*
X-1	K 0 5 4	900	P	T03 D80	
X-2	D 0 0 2	400	P	T03 D80	
X-3	D 0 0 1	100	P	T03 D80	
X-4	D 0 0 2			T03 D80	*included with above*

Photocopy this page before completing if you have *more* than 26 wastes to list.

I.D. Number *(enter from page 1)*
W A 7 8 9 0 0 0 8 9 6 7

IV. DESCRIPTION OF DANGEROUS WASTES *(continued)*

Line No.	A. Dangerous Waste No. *(enter code)*	B. Estimated Annual Quantity of Waste	C. Unit of Measure *(enter code)*	D. Processes	
				1. Process Codes *(enter)*	2. Process Description *(if a code is not entered in D(1))*
1	D 0 0 1	181,788,195	K	S02 T01 T04	Storage - Tank/Treatment - Tank-Other (Decontamination Activities)
2	D 0 0 2		↓	↓ ↓ ↓	↓
3	D 0 0 3		↓	↓ ↓ ↓	↓
4	D 0 0 4		↓	↓ ↓ ↓	↓
5	D 0 0 5		↓	↓ ↓ ↓	↓
6	D 0 0 6		↓	↓ ↓ ↓	↓
7	D 0 0 7		↓	↓ ↓ ↓	↓
8	D 0 0 8		↓	↓ ↓ ↓	↓
9	D 0 0 9		↓	↓ ↓ ↓	↓
10	D 0 1 0		↓	↓ ↓ ↓	↓
11	D 0 1 1		↓	↓ ↓ ↓	↓
12	D 0 1 8		↓	↓ ↓ ↓	↓
13	D 0 1 9		↓	↓ ↓ ↓	↓
14	D 0 2 2		↓	↓ ↓ ↓	↓
15	D 0 2 8		↓	↓ ↓ ↓	↓
16	D 0 2 9		↓	↓ ↓ ↓	↓
17	D 0 3 0		↓	↓ ↓ ↓	↓
18	D 0 3 3		↓	↓ ↓ ↓	↓
19	D 0 3 4		↓	↓ ↓ ↓	↓
20	D 0 3 5		↓	↓ ↓ ↓	↓
21	D 0 3 6		↓	↓ ↓ ↓	↓
22	D 0 3 8		↓	↓ ↓ ↓	↓
23	D 0 3 9		↓	↓ ↓ ↓	↓
24	D 0 4 0		↓	↓ ↓ ↓	↓
25	D 0 4 1		↓	↓ ↓ ↓	↓
26	D 0 4 3		↓	↓ ↓ ↓	↓
27	W T 0 1		↓	↓ ↓ ↓	↓
28	W T 0 2		↓	↓ ↓ ↓	↓
29	W P 0 1		↓	↓ ↓ ↓	↓
30	W P 0 2		↓	↓ ↓ ↓	↓
31	F 0 0 1		↓	↓ ↓ ↓	↓
32	F 0 0 2		↓	↓ ↓ ↓	↓
33	F 0 0 3		↓	↓ ↓ ↓	↓
34	F 0 0 4		↓	↓ ↓ ↓	↓
35	F 0 0 5		↓	↓ ↓ ↓	↓
36	F 0 3 9		↓	↓ ↓ ↓	Included with above
37	D 0 0 1	40,831,030	K	S01 T04	Storage - Container/Treatment - Other
38	D 0 0 2		↓	↓ ↓	↓
39	D 0 0 3		↓	↓ ↓	↓
40	D 0 0 4		↓	↓ ↓	↓
41	D 0 0 5		↓	↓ ↓	↓
42	D 0 0 6		↓	↓ ↓	↓
43	D 0 0 7		↓	↓ ↓	↓
44	D 0 0 8		↓	↓ ↓	↓

45	D	0	0	9			↓		↓	↓			↓	
46	D	0	1	0			↓		↓	↓			↓	
47	D	0	1	1			↓		↓	↓			↓	
48	D	0	1	2			↓		↓	↓			↓	
49	D	0	1	3			↓		↓	↓			↓	
50	D	0	1	4			↓		↓	↓			↓	
51	D	0	1	5			↓		↓	↓			↓	
52	D	0	1	6			↓		↓	↓			↓	
53	D	0	1	7			↓		↓	↓			↓	
54	D	0	1	8			↓		↓	↓			↓	
55	D	0	1	9			↓		↓	↓			↓	
56	D	0	2	0			↓		↓	↓			↓	
57	D	0	2	1			↓		↓	↓			↓	
58	D	0	2	2			↓		↓	↓			↓	
59	D	0	2	3			↓		↓	↓			↓	
60	D	0	2	4			↓		↓	↓			↓	
61	D	0	2	5			↓		↓	↓			↓	
62	D	0	2	6			↓		↓	↓			↓	
63	D	0	2	7			↓		↓	↓			↓	
64	D	0	2	8			↓		↓	↓			↓	
65	D	0	2	9			↓		↓	↓			↓	
66	D	0	3	0			↓		↓	↓			↓	
67	D	0	3	1			↓		↓	↓			↓	
68	D	0	3	2			↓		↓	↓			↓	
69	D	0	3	3			↓		↓	↓			↓	
70	D	0	3	4			↓		↓	↓			↓	
71	D	0	3	5			↓		↓	↓			↓	
72	D	0	3	6			↓		↓	↓			↓	
73	D	0	3	7			↓		↓	↓			↓	
74	D	0	3	8			↓		↓	↓			↓	
75	D	0	3	9			↓		↓	↓			↓	
76	D	0	4	0			↓		↓	↓			↓	
77	D	0	4	1			↓		↓	↓			↓	
78	D	0	4	2			↓		↓	↓			↓	
79	D	0	4	3			↓		↓	↓			↓	
80	W	T	0	1			↓		↓	↓			↓	
81	W	T	0	2			↓		↓	↓			↓	
82	W	P	0	1			↓		↓	↓			↓	
83	W	P	0	2			↓		↓	↓			↓	
84	W	P	0	3			↓		↓	↓			↓	
85	W	0	0	1			↓		↓	↓			↓	
86	W	S	C	2			↓		↓	↓			↓	
87	F	0	0	1			↓		↓	↓			↓	
88	F	0	0	2			↓		↓	↓			↓	
89	F	0	0	3			↓		↓	↓			↓	
90	F	0	0	4			↓		↓	↓			↓	
91	F	0	0	5			↓		↓	↓			↓	
92	F	0	0	6			↓		↓	↓			↓	
93	F	0	0	7			↓		↓	↓			↓	
94	F	0	0	8			↓		↓	↓			↓	
95	F	0	0	9			↓		↓	↓			↓	
96	F	0	1	0			↓		↓	↓			↓	
97	F	0	1	1			↓		↓	↓			↓	
98	F	0	1	2			↓		↓	↓			↓	
99	F	0	1	9			↓		↓	↓			↓	
100	F	0	2	0			↓		↓	↓			↓	

101	F	0	2	1			↓		↓	↓			↓
102	F	0	2	2			↓		↓	↓			↓
103	F	0	2	3			↓		↓	↓			↓
104	F	0	2	6			↓		↓	↓			↓
105	F	0	2	7			↓		↓	↓			↓
106	F	0	2	8			↓		↓	↓			↓
107	F	0	3	9			↓		↓	↓			↓
108	U	0	0	1			↓		↓	↓			↓
109	U	0	0	2			↓		↓	↓			↓
110	U	0	0	3			↓		↓	↓			↓
111	U	0	0	4			↓		↓	↓			↓
112	U	0	0	5			↓		↓	↓			↓
113	U	0	0	6			↓		↓	↓			↓
114	U	0	0	7			↓		↓	↓			↓
115	U	0	0	8			↓		↓	↓			↓
116	U	0	0	9			↓		↓	↓			↓
117	U	0	1	0			↓		↓	↓			↓
118	U	0	1	1			↓		↓	↓			↓
119	U	0	1	2			↓		↓	↓			↓
120	U	0	1	4			↓		↓	↓			↓
121	U	0	1	5			↓		↓	↓			↓
122	U	0	1	6			↓		↓	↓			↓
123	U	0	1	7			↓		↓	↓			↓
124	U	0	1	8			↓		↓	↓			↓
125	U	0	1	9			↓		↓	↓			↓
126	U	0	2	0			↓		↓	↓			↓
127	U	0	2	1			↓		↓	↓			↓
128	U	0	2	2			↓		↓	↓			↓
129	U	0	2	3			↓		↓	↓			↓
130	U	0	2	4			↓		↓	↓			↓
131	U	0	2	5			↓		↓	↓			↓
132	U	0	2	6			↓		↓	↓			↓
133	U	0	2	7			↓		↓	↓			↓
134	U	0	2	8			↓		↓	↓			↓
135	U	0	2	9			↓		↓	↓			↓
136	U	0	3	0			↓		↓	↓			↓
137	U	0	3	1			↓		↓	↓			↓
138	U	0	3	2			↓		↓	↓			↓
139	U	0	3	3			↓		↓	↓			↓
140	U	0	3	4			↓		↓	↓			↓
141	U	0	3	5			↓		↓	↓			↓
142	U	0	3	6			↓		↓	↓			↓
143	U	0	3	7			↓		↓	↓			↓
144	U	0	3	8			↓		↓	↓			↓
145	U	0	3	9			↓		↓	↓			↓
146	U	0	4	1			↓		↓	↓			↓
147	U	0	4	2			↓		↓	↓			↓
148	U	0	4	3			↓		↓	↓			↓
149	U	0	4	4			↓		↓	↓			↓
150	U	0	4	5			↓		↓	↓			↓
151	U	0	4	6			↓		↓	↓			↓
152	U	0	4	7			↓		↓	↓			↓
153	U	0	4	8			↓		↓	↓			↓
154	U	0	4	9			↓		↓	↓			↓
155	U	0	5	0			↓		↓	↓			↓
156	U	0	5	1			↓		↓	↓			↓

157	U	0	5	2			↓		↓	↓			↓
158	U	0	5	3			↓		↓	↓			↓
159	U	0	5	5			↓		↓	↓			↓
160	U	0	5	6			↓		↓	↓			↓
161	U	0	5	7			↓		↓	↓			↓
162	U	0	5	8			↓		↓	↓			↓
163	U	0	5	9			↓		↓	↓			↓
164	U	0	6	0			↓		↓	↓			↓
165	U	0	6	1			↓		↓	↓			↓
166	U	0	6	2			↓		↓	↓			↓
167	U	0	6	3			↓		↓	↓			↓
168	U	0	6	4			↓		↓	↓			↓
169	U	0	6	6			↓		↓	↓			↓
170	U	0	6	7			↓		↓	↓			↓
171	U	0	6	8			↓		↓	↓			↓
172	U	0	6	9			↓		↓	↓			↓
173	U	0	7	0			↓		↓	↓			↓
174	U	0	7	1			↓		↓	↓			↓
175	U	0	7	2			↓		↓	↓			↓
176	U	0	7	3			↓		↓	↓			↓
177	U	0	7	4			↓		↓	↓			↓
178	U	0	7	5			↓		↓	↓			↓
179	U	0	7	6			↓		↓	↓			↓
180	U	0	7	7			↓		↓	↓			↓
181	U	0	7	8			↓		↓	↓			↓
182	U	0	7	9			↓		↓	↓			↓
183	U	0	8	0			↓		↓	↓			↓
184	U	0	8	1			↓		↓	↓			↓
185	U	0	8	2			↓		↓	↓			↓
186	U	0	8	3			↓		↓	↓			↓
187	U	0	8	4			↓		↓	↓			↓
188	U	0	8	5			↓		↓	↓			↓
189	U	0	8	6			↓		↓	↓			↓
190	U	0	8	7			↓		↓	↓			↓
191	U	0	8	8			↓		↓	↓			↓
192	U	0	8	9			↓		↓	↓			↓
193	U	0	9	0			↓		↓	↓			↓
194	U	0	9	1			↓		↓	↓			↓
195	U	0	9	2			↓		↓	↓			↓
196	U	0	9	3			↓		↓	↓			↓
197	U	0	9	4			↓		↓	↓			↓
198	U	0	9	5			↓		↓	↓			↓
199	U	0	9	6			↓		↓	↓			↓
200	U	0	9	7			↓		↓	↓			↓
201	U	0	9	8			↓		↓	↓			↓
202	U	0	9	9			↓		↓	↓			↓
203	U	1	0	1			↓		↓	↓			↓
204	U	1	0	2			↓		↓	↓			↓
205	U	1	0	3			↓		↓	↓			↓
206	U	1	0	5			↓		↓	↓			↓
207	U	1	0	6			↓		↓	↓			↓
208	U	1	0	7			↓		↓	↓			↓
209	U	1	0	8			↓		↓	↓			↓
210	U	1	0	9			↓		↓	↓			↓
211	U	1	1	0			↓		↓	↓			↓
212	U	1	1	1			↓		↓	↓			↓

213	U	1	1	2			↓		↓	↓			↓
214	U	1	1	3			↓		↓	↓			↓
215	U	1	1	4			↓		↓	↓			↓
216	U	1	1	5			↓		↓	↓			↓
217	U	1	1	6			↓		↓	↓			↓
218	U	1	1	7			↓		↓	↓			↓
219	U	1	1	8			↓		↓	↓			↓
220	U	1	1	9			↓		↓	↓			↓
221	U	1	2	0			↓		↓	↓			↓
222	U	1	2	1			↓		↓	↓			↓
223	U	1	2	2			↓		↓	↓			↓
224	U	1	2	3			↓		↓	↓			↓
225	U	1	2	4			↓		↓	↓			↓
226	U	1	2	5			↓		↓	↓			↓
227	U	1	2	6			↓		↓	↓			↓
228	U	1	2	7			↓		↓	↓			↓
229	U	1	2	8			↓		↓	↓			↓
230	U	1	2	9			↓		↓	↓			↓
231	U	1	3	0			↓		↓	↓			↓
232	U	1	3	1			↓		↓	↓			↓
233	U	1	3	2			↓		↓	↓			↓
234	U	1	3	3			↓		↓	↓			↓
235	U	1	3	4			↓		↓	↓			↓
236	U	1	3	5			↓		↓	↓			↓
237	U	1	3	6			↓		↓	↓			↓
238	U	1	3	7			↓		↓	↓			↓
239	U	1	3	8			↓		↓	↓			↓
240	U	1	4	0			↓		↓	↓			↓
241	U	1	4	1			↓		↓	↓			↓
242	U	1	4	2			↓		↓	↓			↓
243	U	1	4	3			↓		↓	↓			↓
244	U	1	4	4			↓		↓	↓			↓
245	U	1	4	5			↓		↓	↓			↓
246	U	1	4	6			↓		↓	↓			↓
247	U	1	4	7			↓		↓	↓			↓
248	U	1	4	8			↓		↓	↓			↓
249	U	1	4	9			↓		↓	↓			↓
250	U	1	5	0			↓		↓	↓			↓
251	U	1	5	1			↓		↓	↓			↓
252	U	1	5	2			↓		↓	↓			↓
253	U	1	5	3			↓		↓	↓			↓
254	U	1	5	4			↓		↓	↓			↓
255	U	1	5	5			↓		↓	↓			↓
256	U	1	5	6			↓		↓	↓			↓
257	U	1	5	7			↓		↓	↓			↓
258	U	1	5	8			↓		↓	↓			↓
259	U	1	5	9			↓		↓	↓			↓
260	U	1	6	0			↓		↓	↓			↓
261	U	1	6	1			↓		↓	↓			↓
262	U	1	6	2			↓		↓	↓			↓
263	U	1	6	3			↓		↓	↓			↓
264	U	1	6	4			↓		↓	↓			↓
265	U	1	6	5			↓		↓	↓			↓
266	U	1	6	6			↓		↓	↓			↓
267	U	1	6	7			↓		↓	↓			↓
268	U	1	6	8			↓		↓	↓			↓

269	U	1	6	9			↓		↓	↓			↓
270	U	1	7	0			↓		↓	↓			↓
271	U	1	7	1			↓		↓	↓			↓
272	U	1	7	2			↓		↓	↓			↓
273	U	1	7	3			↓		↓	↓			↓
274	U	1	7	4			↓		↓	↓			↓
275	U	1	7	6			↓		↓	↓			↓
276	U	1	7	7			↓		↓	↓			↓
277	U	1	7	8			↓		↓	↓			↓
278	U	1	7	9			↓		↓	↓			↓
279	U	1	8	0			↓		↓	↓			↓
280	U	1	8	1			↓		↓	↓			↓
281	U	1	8	2			↓		↓	↓			↓
282	U	1	8	3			↓		↓	↓			↓
283	U	1	8	4			↓		↓	↓			↓
284	U	1	8	5			↓		↓	↓			↓
285	U	1	8	6			↓		↓	↓			↓
286	U	1	8	7			↓		↓	↓			↓
287	U	1	8	8			↓		↓	↓			↓
288	U	1	8	9			↓		↓	↓			↓
289	U	1	9	0			↓		↓	↓			↓
290	U	1	9	1			↓		↓	↓			↓
291	U	1	9	2			↓		↓	↓			↓
292	U	1	9	3			↓		↓	↓			↓
293	U	1	9	4			↓		↓	↓			↓
294	U	1	9	6			↓		↓	↓			↓
295	U	2	0	0			↓		↓	↓			↓
296	U	2	0	1			↓		↓	↓			↓
297	U	2	0	2			↓		↓	↓			↓
298	U	2	0	3			↓		↓	↓			↓
299	U	2	0	4			↓		↓	↓			↓
300	U	2	0	5			↓		↓	↓			↓
301	U	2	0	6			↓		↓	↓			↓
302	U	2	0	7			↓		↓	↓			↓
303	U	2	0	8			↓		↓	↓			↓
304	U	2	0	9			↓		↓	↓			↓
305	U	2	1	0			↓		↓	↓			↓
306	U	2	1	1			↓		↓	↓			↓
307	U	2	1	3			↓		↓	↓			↓
308	U	2	1	4			↓		↓	↓			↓
309	U	2	1	5			↓		↓	↓			↓
310	U	2	1	6			↓		↓	↓			↓
311	U	2	1	7			↓		↓	↓			↓
312	U	2	1	8			↓		↓	↓			↓
313	U	2	1	9			↓		↓	↓			↓
314	U	2	2	0			↓		↓	↓			↓
315	U	2	2	1			↓		↓	↓			↓
316	U	2	2	2			↓		↓	↓			↓
317	U	2	2	3			↓		↓	↓			↓
318	U	2	2	5			↓		↓	↓			↓
319	U	2	2	6			↓		↓	↓			↓
320	U	2	2	7			↓		↓	↓			↓
321	U	2	2	8			↓		↓	↓			↓
322	U	2	3	4			↓		↓	↓			↓
323	U	2	3	5			↓		↓	↓			↓
324	U	2	3	6			↓		↓	↓			↓

325	U	2	3	7			↓		↓	↓			↓	
326	U	2	3	8			↓		↓	↓			↓	
327	U	2	3	9			↓		↓	↓			↓	
328	U	2	4	0			↓		↓	↓			↓	
329	U	2	4	3			↓		↓	↓			↓	
330	U	2	4	4			↓		↓	↓			↓	
331	U	2	4	6			↓		↓	↓			↓	
332	U	2	4	7			↓		↓	↓			↓	
333	U	2	4	8			↓		↓	↓			↓	
334	U	2	4	9			↓		↓	↓			↓	
335	U	2	7	1			↓		↓	↓			↓	
336	U	2	7	8			↓		↓	↓			↓	
337	U	2	7	9			↓		↓	↓			↓	
338	U	2	8	0			↓		↓	↓			↓	
339	U	3	2	8			↓		↓	↓			↓	
340	U	3	5	3			↓		↓	↓			↓	
341	U	3	5	9			↓		↓	↓			↓	
342	U	3	6	4			↓		↓	↓			↓	
343	U	3	6	7			↓		↓	↓			↓	
344	U	3	7	2			↓		↓	↓			↓	
345	U	3	7	3			↓		↓	↓			↓	
346	U	3	8	7			↓		↓	↓			↓	
347	U	3	8	9			↓		↓	↓			↓	
348	U	3	9	4			↓		↓	↓			↓	
349	U	3	9	5			↓		↓	↓			↓	
350	U	4	0	4			↓		↓	↓			↓	
351	U	4	0	9			↓		↓	↓			↓	
352	U	4	1	0			↓		↓	↓			↓	
353	U	4	1	1			↓		↓	↓			↓	
354	P	0	0	1			↓		↓	↓			↓	
355	P	0	0	2			↓		↓	↓			↓	
356	P	0	0	3			↓		↓	↓			↓	
357	P	0	0	4			↓		↓	↓			↓	
358	P	0	0	5			↓		↓	↓			↓	
359	P	0	0	6			↓		↓	↓			↓	
360	P	0	0	7			↓		↓	↓			↓	
361	P	0	0	8			↓		↓	↓			↓	
362	P	0	0	9			↓		↓	↓			↓	
363	P	0	1	0			↓		↓	↓			↓	
364	P	0	1	1			↓		↓	↓			↓	
365	P	0	1	2			↓		↓	↓			↓	
366	P	0	1	3			↓		↓	↓			↓	
367	P	0	1	4			↓		↓	↓			↓	
368	P	0	1	5			↓		↓	↓			↓	
369	P	0	1	6			↓		↓	↓			↓	
370	P	0	1	7			↓		↓	↓			↓	
371	P	0	1	8			↓		↓	↓			↓	
372	P	0	2	0			↓		↓	↓			↓	
373	P	0	2	1			↓		↓	↓			↓	
374	P	0	2	2			↓		↓	↓			↓	
375	P	0	2	3			↓		↓	↓			↓	
376	P	0	2	4			↓		↓	↓			↓	
377	P	0	2	6			↓		↓	↓			↓	
378	P	0	2	7			↓		↓	↓			↓	
379	P	0	2	8			↓		↓	↓			↓	
380	P	0	2	9			↓		↓	↓			↓	

381	P	0	3	0			↓		↓	↓			↓
382	P	0	3	1			↓		↓	↓			↓
383	P	0	3	3			↓		↓	↓			↓
384	P	0	3	4			↓		↓	↓			↓
385	P	0	3	6			↓		↓	↓			↓
386	P	0	3	7			↓		↓	↓			↓
387	P	0	3	8			↓		↓	↓			↓
388	P	0	3	9			↓		↓	↓			↓
389	P	0	4	0			↓		↓	↓			↓
390	P	0	4	1			↓		↓	↓			↓
391	P	0	4	2			↓		↓	↓			↓
392	P	0	4	3			↓		↓	↓			↓
393	P	0	4	4			↓		↓	↓			↓
394	P	0	4	5			↓		↓	↓			↓
395	P	0	4	6			↓		↓	↓			↓
396	P	0	4	7			↓		↓	↓			↓
397	P	0	4	8			↓		↓	↓			↓
398	P	0	4	9			↓		↓	↓			↓
399	P	0	5	0			↓		↓	↓			↓
400	P	0	5	1			↓		↓	↓			↓
401	P	0	5	4			↓		↓	↓			↓
402	P	0	5	6			↓		↓	↓			↓
403	P	0	5	7			↓		↓	↓			↓
404	P	0	5	8			↓		↓	↓			↓
405	P	0	5	9			↓		↓	↓			↓
406	P	0	6	0			↓		↓	↓			↓
407	P	0	6	2			↓		↓	↓			↓
408	P	0	6	3			↓		↓	↓			↓
409	P	0	6	4			↓		↓	↓			↓
410	P	0	6	5			↓		↓	↓			↓
411	P	0	6	6			↓		↓	↓			↓
412	P	0	6	7			↓		↓	↓			↓
413	P	0	6	8			↓		↓	↓			↓
414	P	0	6	9			↓		↓	↓			↓
415	P	0	7	0			↓		↓	↓			↓
416	P	0	7	1			↓		↓	↓			↓
417	P	0	7	2			↓		↓	↓			↓
418	P	0	7	3			↓		↓	↓			↓
419	P	0	7	4			↓		↓	↓			↓
420	P	0	7	5			↓		↓	↓			↓
421	P	0	7	6			↓		↓	↓			↓
422	P	0	7	7			↓		↓	↓			↓
423	P	0	7	8			↓		↓	↓			↓
424	P	0	8	1			↓		↓	↓			↓
425	P	0	8	2			↓		↓	↓			↓
426	P	0	8	4			↓		↓	↓			↓
427	P	0	8	5			↓		↓	↓			↓
428	P	0	8	7			↓		↓	↓			↓
429	P	0	8	8			↓		↓	↓			↓
430	P	0	8	9			↓		↓	↓			↓
431	P	0	9	2			↓		↓	↓			↓
432	P	0	9	3			↓		↓	↓			↓
433	P	0	9	4			↓		↓	↓			↓
434	P	0	9	5			↓		↓	↓			↓
435	P	0	9	6			↓		↓	↓			↓
436	P	0	9	7			↓		↓	↓			↓

437	P	0	9	8			↓		↓	↓			↓
438	P	0	9	9			↓		↓	↓			↓
439	P	1	0	1			↓		↓	↓			↓
440	P	1	0	2			↓		↓	↓			↓
441	P	1	0	3			↓		↓	↓			↓
442	P	1	0	4			↓		↓	↓			↓
443	P	1	0	5			↓		↓	↓			↓
444	P	1	0	6			↓		↓	↓			↓
445	P	1	0	7			↓		↓	↓			↓
446	P	1	0	8			↓		↓	↓			↓
447	P	1	0	9			↓		↓	↓			↓
448	P	1	1	0			↓		↓	↓			↓
449	P	1	1	1			↓		↓	↓			↓
450	P	1	1	2			↓		↓	↓			↓
451	P	1	1	3			↓		↓	↓			↓
452	P	1	1	4			↓		↓	↓			↓
453	P	1	1	5			↓		↓	↓			↓
454	P	1	1	6			↓		↓	↓			↓
455	P	1	1	8			↓		↓	↓			↓
456	P	1	1	9			↓		↓	↓			↓
457	P	1	2	0			↓		↓	↓			↓
458	P	1	2	1			↓		↓	↓			↓
459	P	1	2	2			↓		↓	↓			↓
460	P	1	2	3			↓		↓	↓			↓
461	P	1	2	7			↓		↓	↓			↓
462	P	1	2	8			↓		↓	↓			↓
463	P	1	8	5			↓		↓	↓			↓
464	P	1	8	8			↓		↓	↓			↓
465	P	1	8	9			↓		↓	↓			↓
466	P	1	9	0			↓		↓	↓			↓
467	P	1	9	1			↓		↓	↓			↓
468	P	1	9	2			↓		↓	↓			↓
469	P	1	9	4			↓		↓	↓			↓
470	P	1	9	6			↓		↓	↓			↓
471	P	1	9	7			↓		↓	↓			↓
472	P	1	9	8			↓		↓	↓			↓
473	P	1	9	9			↓		↓	↓			↓
474	P	2	0	1			↓		↓	↓			↓
475	P	2	0	2			↓		↓	↓			↓
476	P	2	0	3			↓		↓	↓			↓
477	P	2	0	4			↓		↓	↓			↓
478	P	2	0	5			↓		↓	↓			Included with above.
479	D	0	0	1	4,535,924		K		S06				Containment Building /Storage
480	D	0	0	2			↓		↓				↓
481	D	0	0	3			↓		↓				↓
482	D	0	0	4			↓		↓				↓
483	D	0	0	5			↓		↓				↓
484	D	0	0	6			↓		↓				↓
485	D	0	0	7			↓		↓				↓
486	D	0	0	8			↓		↓				↓
487	D	0	0	9			↓		↓				↓
488	D	0	1	0			↓		↓				↓
489	D	0	1	1			↓		↓				↓
490	D	0	1	2			↓		↓				↓
491	D	0	1	3			↓		↓				↓
492	D	0	1	4			↓		↓				↓

493	D	0	1	5			↓		↓				↓
494	D	0	1	6			↓		↓				↓
495	D	0	1	7			↓		↓				↓
496	D	0	1	8			↓		↓				↓
497	D	0	1	9			↓		↓				↓
498	D	0	2	0			↓		↓				↓
499	D	0	2	1			↓		↓				↓
500	D	0	2	2			↓		↓				↓
501	D	0	2	3			↓		↓				↓
502	D	0	2	4			↓		↓				↓
503	D	0	2	5			↓		↓				↓
504	D	0	2	6			↓		↓				↓
505	D	0	2	7			↓		↓				↓
506	D	0	2	8			↓		↓				↓
507	D	0	2	9			↓		↓				↓
508	D	0	3	0			↓		↓				↓
509	D	0	3	1			↓		↓				↓
510	D	0	3	2			↓		↓				↓
511	D	0	3	3			↓		↓				↓
512	D	0	3	4			↓		↓				↓
513	D	0	3	5			↓		↓				↓
514	D	0	3	6			↓		↓				↓
515	D	0	3	7			↓		↓				↓
516	D	0	3	8			↓		↓				↓
517	D	0	3	9			↓		↓				↓
518	D	0	4	0			↓		↓				↓
519	D	0	4	1			↓		↓				↓
520	D	0	4	2			↓		↓				↓
521	D	0	4	3			↓		↓				↓
522	W	T	0	1			↓		↓				↓
523	W	T	0	2			↓		↓				↓
524	W	P	0	1			↓		↓				↓
525	W	P	0	2			↓		↓				↓
526	W	P	0	3			↓		↓				↓
527	W	0	0	1			↓		↓				↓
528	W	S	C	2			↓		↓				↓
529	F	0	0	1			↓		↓				↓
530	F	0	0	2			↓		↓				↓
531	F	0	0	3			↓		↓				↓
532	F	0	0	4			↓		↓				↓
533	F	0	0	5			↓		↓				↓
534	F	0	0	6			↓		↓				↓
535	F	0	0	7			↓		↓				↓
536	F	0	0	8			↓		↓				↓
537	F	0	0	9			↓		↓				↓
538	F	0	1	0			↓		↓				↓
539	F	0	1	1			↓		↓				↓
540	F	0	1	2			↓		↓				↓
541	F	0	1	9			↓		↓				↓
542	F	0	2	0			↓		↓				↓
543	F	0	2	1			↓		↓				↓
544	F	0	2	2			↓		↓				↓
545	F	0	2	3			↓		↓				↓
546	F	0	2	6			↓		↓				↓
547	F	0	2	7			↓		↓				↓
548	F	0	2	8			↓		↓				↓

549	F	0	3	9			↓		↓				↓
550	U	0	0	1			↓		↓				↓
551	U	0	0	2			↓		↓				↓
552	U	0	0	3			↓		↓				↓
553	U	0	0	4			↓		↓				↓
554	U	0	0	5			↓		↓				↓
555	U	0	0	6			↓		↓				↓
556	U	0	0	7			↓		↓				↓
557	U	0	0	8			↓		↓				↓
558	U	0	0	9			↓		↓				↓
559	U	0	1	0			↓		↓				↓
560	U	0	1	1			↓		↓				↓
561	U	0	1	2			↓		↓				↓
562	U	0	1	4			↓		↓				↓
563	U	0	1	5			↓		↓				↓
564	U	0	1	6			↓		↓				↓
565	U	0	1	7			↓		↓				↓
566	U	0	1	8			↓		↓				↓
567	U	0	1	9			↓		↓				↓
568	U	0	2	0			↓		↓				↓
569	U	0	2	1			↓		↓				↓
570	U	0	2	2			↓		↓				↓
571	U	0	2	3			↓		↓				↓
572	U	0	2	4			↓		↓				↓
573	U	0	2	5			↓		↓				↓
574	U	0	2	6			↓		↓				↓
575	U	0	2	7			↓		↓				↓
576	U	0	2	8			↓		↓				↓
577	U	0	2	9			↓		↓				↓
578	U	0	3	0			↓		↓				↓
579	U	0	3	1			↓		↓				↓
580	U	0	3	2			↓		↓				↓
581	U	0	3	3			↓		↓				↓
582	U	0	3	4			↓		↓				↓
583	U	0	3	6			↓		↓				↓
584	U	0	3	7			↓		↓				↓
585	U	0	3	8			↓		↓				↓
586	U	0	3	9			↓		↓				↓
587	U	0	4	0			↓		↓				↓
588	U	0	4	1			↓		↓				↓
589	U	0	4	2			↓		↓				↓
590	U	0	4	3			↓		↓				↓
591	U	0	4	4			↓		↓				↓
592	U	0	4	5			↓		↓				↓
593	U	0	4	6			↓		↓				↓
594	U	0	4	7			↓		↓				↓
595	U	0	4	8			↓		↓				↓
596	U	0	4	9			↓		↓				↓
597	U	0	5	0			↓		↓				↓
598	U	0	5	1			↓		↓				↓
599	U	0	5	2			↓		↓				↓
600	U	0	5	3			↓		↓				↓
601	U	0	5	5			↓		↓				↓
602	U	0	5	6			↓		↓				↓
603	U	0	5	7			↓		↓				↓
604	U	0	5	8			↓		↓				↓

605	U	0	5	9			↓		↓				↓
606	U	0	6	0			↓		↓				↓
607	U	0	6	1			↓		↓				↓
608	U	0	6	2			↓		↓				↓
609	U	0	6	3			↓		↓				↓
610	U	0	6	4			↓		↓				↓
611	U	0	6	6			↓		↓				↓
612	U	0	6	7			↓		↓				↓
613	U	0	6	8			↓		↓				↓
614	U	0	6	9			↓		↓				↓
615	U	0	7	0			↓		↓				↓
616	U	0	7	1			↓		↓				↓
617	U	0	7	2			↓		↓				↓
618	U	0	7	3			↓		↓				↓
619	U	0	7	4			↓		↓				↓
620	U	0	7	5			↓		↓				↓
621	U	0	7	6			↓		↓				↓
622	U	0	7	7			↓		↓				↓
623	U	0	7	8			↓		↓				↓
624	U	0	7	9			↓		↓				↓
625	U	0	8	0			↓		↓				↓
626	U	0	8	1			↓		↓				↓
627	U	0	8	2			↓		↓				↓
628	U	0	8	3			↓		↓				↓
629	U	0	8	4			↓		↓				↓
630	U	0	8	5			↓		↓				↓
631	U	0	8	6			↓		↓				↓
632	U	0	8	7			↓		↓				↓
633	U	0	8	8			↓		↓				↓
634	U	0	8	9			↓		↓				↓
635	U	0	9	0			↓		↓				↓
636	U	0	9	1			↓		↓				↓
637	U	0	9	2			↓		↓				↓
638	U	0	9	3			↓		↓				↓
639	U	0	9	4			↓		↓				↓
640	U	0	9	5			↓		↓				↓
641	U	0	9	6			↓		↓				↓
642	U	0	9	7			↓		↓				↓
643	U	0	9	8			↓		↓				↓
644	U	0	9	9			↓		↓				↓
645	U	1	0	1			↓		↓				↓
646	U	1	0	2			↓		↓				↓
647	U	1	0	3			↓		↓				↓
648	U	1	0	5			↓		↓				↓
649	U	1	0	6			↓		↓				↓
650	U	1	0	7			↓		↓				↓
651	U	1	0	8			↓		↓				↓
652	U	1	0	9			↓		↓				↓
653	U	1	1	0			↓		↓				↓
654	U	1	1	1			↓		↓				↓
655	U	1	1	2			↓		↓				↓
656	U	1	1	3			↓		↓				↓
657	U	1	1	4			↓		↓				↓
658	U	1	1	5			↓		↓				↓
659	U	1	1	6			↓		↓				↓
660	U	1	1	7			↓		↓				↓

661	U	1	1	8			↓		↓				↓
662	U	1	1	9			↓		↓				↓
663	U	1	2	0			↓		↓				↓
664	U	1	2	1			↓		↓				↓
665	U	1	2	2			↓		↓				↓
666	U	1	2	3			↓		↓				↓
667	U	1	2	4			↓		↓				↓
668	U	1	2	5			↓		↓				↓
669	U	1	2	6			↓		↓				↓
670	U	1	2	7			↓		↓				↓
671	U	1	2	8			↓		↓				↓
672	U	1	2	9			↓		↓				↓
673	U	1	3	0			↓		↓				↓
674	U	1	3	1			↓		↓				↓
675	U	1	3	2			↓		↓				↓
676	U	1	3	3			↓		↓				↓
677	U	1	3	4			↓		↓				↓
678	U	1	3	5			↓		↓				↓
679	U	1	3	6			↓		↓				↓
680	U	1	3	7			↓		↓				↓
681	U	1	3	8			↓		↓				↓
682	U	1	4	0			↓		↓				↓
683	U	1	4	1			↓		↓				↓
684	U	1	4	2			↓		↓				↓
685	U	1	4	3			↓		↓				↓
686	U	1	4	4			↓		↓				↓
687	U	1	4	5			↓		↓				↓
688	U	1	4	6			↓		↓				↓
689	U	1	4	7			↓		↓				↓
690	U	1	4	8			↓		↓				↓
691	U	1	4	9			↓		↓				↓
692	U	1	5	0			↓		↓				↓
693	U	1	5	1			↓		↓				↓
694	U	1	5	2			↓		↓				↓
695	U	1	5	3			↓		↓				↓
696	U	1	5	4			↓		↓				↓
697	U	1	5	5			↓		↓				↓
698	U	1	5	6			↓		↓				↓
699	U	1	5	7			↓		↓				↓
700	U	1	5	8			↓		↓				↓
701	U	1	5	9			↓		↓				↓
702	U	1	6	0			↓		↓				↓
703	U	1	6	1			↓		↓				↓
704	U	1	6	2			↓		↓				↓
705	U	1	6	3			↓		↓				↓
706	U	1	6	4			↓		↓				↓
707	U	1	6	5			↓		↓				↓
708	U	1	6	6			↓		↓				↓
709	U	1	6	7			↓		↓				↓
710	U	1	6	8			↓		↓				↓
711	U	1	6	9			↓		↓				↓
712	U	1	7	0			↓		↓				↓
713	U	1	7	1			↓		↓				↓
714	U	1	7	2			↓		↓				↓
715	U	1	7	3			↓		↓				↓
716	U	1	7	4			↓		↓				↓

717	U	1	7	6			↓		↓				↓
718	U	1	7	7			↓		↓				↓
719	U	1	7	8			↓		↓				↓
720	U	1	7	9			↓		↓				↓
721	U	1	8	0			↓		↓				↓
722	U	1	8	1			↓		↓				↓
723	U	1	8	2			↓		↓				↓
724	U	1	8	3			↓		↓				↓
725	U	1	8	4			↓		↓				↓
726	U	1	8	5			↓		↓				↓
727	U	1	8	6			↓		↓				↓
728	U	1	8	7			↓		↓				↓
729	U	1	8	8			↓		↓				↓
730	U	1	8	9			↓		↓				↓
731	U	1	9	0			↓		↓				↓
732	U	1	9	1			↓		↓				↓
733	U	1	9	2			↓		↓				↓
734	U	1	9	3			↓		↓				↓
735	U	1	9	4			↓		↓				↓
736	U	1	9	6			↓		↓				↓
737	U	2	0	0			↓		↓				↓
738	U	2	0	1			↓		↓				↓
739	U	2	0	2			↓		↓				↓
740	U	2	0	3			↓		↓				↓
741	U	2	0	4			↓		↓				↓
742	U	2	0	5			↓		↓				↓
743	U	2	0	6			↓		↓				↓
744	U	2	0	7			↓		↓				↓
745	U	2	0	8			↓		↓				↓
746	U	2	0	9			↓		↓				↓
747	U	2	1	0			↓		↓				↓
748	U	2	1	1			↓		↓				↓
749	U	2	1	3			↓		↓				↓
750	U	2	1	4			↓		↓				↓
751	U	2	1	5			↓		↓				↓
752	U	2	1	6			↓		↓				↓
753	U	2	1	7			↓		↓				↓
754	U	2	1	8			↓		↓				↓
755	U	2	1	9			↓		↓				↓
756	U	2	2	0			↓		↓				↓
757	U	2	2	1			↓		↓				↓
758	U	2	2	2			↓		↓				↓
759	U	2	2	3			↓		↓				↓
760	U	2	2	5			↓		↓				↓
761	U	2	2	6			↓		↓				↓
762	U	2	2	7			↓		↓				↓
763	U	2	2	8			↓		↓				↓
764	U	2	3	4			↓		↓				↓
765	U	2	3	5			↓		↓				↓
766	U	2	3	6			↓		↓				↓
767	U	2	3	7			↓		↓				↓
768	U	2	3	8			↓		↓				↓
769	U	2	3	9			↓		↓				↓
770	U	2	4	2			↓		↓				↓
771	U	2	4	3			↓		↓				↓
772	U	2	4	4			↓		↓				↓

773	U	2	4	6			↓		↓					↓
774	U	2	4	7			↓		↓					↓
775	U	2	4	8			↓		↓					↓
776	U	2	4	9			↓		↓					↓
777	U	2	7	1			↓		↓					↓
778	U	2	7	8			↓		↓					↓
779	U	2	7	9			↓		↓					↓
780	U	2	8	0			↓		↓					↓
781	U	3	2	8			↓		↓					↓
782	U	3	5	5			↓		↓					↓
783	U	3	5	9			↓		↓					↓
784	U	3	6	4			↓		↓					↓
785	U	3	6	7			↓		↓					↓
786	U	3	7	2			↓		↓					↓
787	U	3	7	3			↓		↓					↓
788	U	3	8	7			↓		↓					↓
789	U	3	8	9			↓		↓					↓
790	U	3	9	4			↓		↓					↓
791	U	3	9	5			↓		↓					↓
792	U	4	0	4			↓		↓					↓
793	U	4	0	9			↓		↓					↓
794	U	4	1	0			↓		↓					↓
795	U	4	1	1			↓		↓					↓
796	P	0	0	1			↓		↓					↓
797	P	0	0	2			↓		↓					↓
798	P	0	0	3			↓		↓					↓
799	P	0	0	4			↓		↓					↓
800	P	0	0	5			↓		↓					↓
801	P	0	0	6			↓		↓					↓
802	P	0	0	7			↓		↓					↓
803	P	0	0	8			↓		↓					↓
804	P	0	0	9			↓		↓					↓
805	P	0	1	0			↓		↓					↓
806	P	0	1	1			↓		↓					↓
807	P	0	1	2			↓		↓					↓
808	P	0	1	3			↓		↓					↓
809	P	0	1	4			↓		↓					↓
810	P	0	1	5			↓		↓					↓
811	P	0	1	6			↓		↓					↓
812	P	0	1	7			↓		↓					↓
813	P	0	1	8			↓		↓					↓
814	P	0	2	0			↓		↓					↓
815	P	0	2	1			↓		↓					↓
816	P	0	2	2			↓		↓					↓
817	P	0	2	3			↓		↓					↓
818	P	0	2	4			↓		↓					↓
819	P	0	2	6			↓		↓					↓
820	P	0	2	7			↓		↓					↓
821	P	0	2	8			↓		↓					↓
822	P	0	2	9			↓		↓					↓
823	P	0	3	0			↓		↓					↓
824	P	0	3	1			↓		↓					↓
825	P	0	3	3			↓		↓					↓
826	P	0	3	4			↓		↓					↓
827	P	0	3	6			↓		↓					↓
828	P	0	3	7			↓		↓					↓

829	P	0	3	8			↓		↓				↓
830	P	0	3	9			↓		↓				↓
831	P	0	4	0			↓		↓				↓
832	P	0	4	1			↓		↓				↓
833	P	0	4	2			↓		↓				↓
834	P	0	4	3			↓		↓				↓
835	P	0	4	4			↓		↓				↓
836	P	0	4	5			↓		↓				↓
837	P	0	4	6			↓		↓				↓
838	P	0	4	7			↓		↓				↓
839	P	0	4	8			↓		↓				↓
840	P	0	4	9			↓		↓				↓
841	P	0	5	0			↓		↓				↓
842	P	0	5	1			↓		↓				↓
843	P	0	5	4			↓		↓				↓
844	P	0	5	6			↓		↓				↓
845	P	0	5	7			↓		↓				↓
846	P	0	5	8			↓		↓				↓
847	P	0	5	9			↓		↓				↓
848	P	0	6	0			↓		↓				↓
849	P	0	6	2			↓		↓				↓
850	P	0	6	3			↓		↓				↓
851	P	0	6	4			↓		↓				↓
852	P	0	6	5			↓		↓				↓
853	P	0	6	6			↓		↓				↓
854	P	0	6	7			↓		↓				↓
855	P	0	6	8			↓		↓				↓
856	P	0	6	9			↓		↓				↓
857	P	0	7	0			↓		↓				↓
858	P	0	7	1			↓		↓				↓
859	P	0	7	2			↓		↓				↓
860	P	0	7	3			↓		↓				↓
861	P	0	7	4			↓		↓				↓
862	P	0	7	5			↓		↓				↓
863	P	0	7	6			↓		↓				↓
864	P	0	7	7			↓		↓				↓
865	P	0	7	8			↓		↓				↓
866	P	0	8	1			↓		↓				↓
867	P	0	8	2			↓		↓				↓
868	P	0	8	4			↓		↓				↓
869	P	0	8	5			↓		↓				↓
870	P	0	8	7			↓		↓				↓
871	P	0	8	8			↓		↓				↓
872	P	0	8	9			↓		↓				↓
873	P	0	9	2			↓		↓				↓
874	P	0	9	3			↓		↓				↓
875	P	0	9	4			↓		↓				↓
876	P	0	9	5			↓		↓				↓
877	P	0	9	6			↓		↓				↓
878	P	0	9	7			↓		↓				↓
879	P	0	9	8			↓		↓				↓
880	P	0	9	9			↓		↓				↓
881	P	1	0	1			↓		↓				↓
882	P	1	0	2			↓		↓				↓
883	P	1	0	3			↓		↓				↓
884	P	1	0	4			↓		↓				↓

885	P	1	0	5			↓		↓				↓
886	P	1	0	6			↓		↓				↓
887	P	1	0	7			↓		↓				↓
888	P	1	0	8			↓		↓				↓
889	P	1	0	9			↓		↓				↓
890	P	1	1	0			↓		↓				↓
891	P	1	1	1			↓		↓				↓
892	P	1	1	2			↓		↓				↓
893	P	1	1	3			↓		↓				↓
894	P	1	1	4			↓		↓				↓
895	P	1	1	5			↓		↓				↓
896	P	1	1	6			↓		↓				↓
897	P	1	1	8			↓		↓				↓
898	P	1	1	9			↓		↓				↓
899	P	1	2	0			↓		↓				↓
900	P	1	2	1			↓		↓				↓
901	P	1	2	2			↓		↓				↓
902	P	1	2	3			↓		↓				↓
903	P	1	2	7			↓		↓				↓
904	P	1	2	8			↓		↓				↓
905	P	1	8	5			↓		↓				↓
906	P	1	8	8			↓		↓				↓
907	P	1	8	9			↓		↓				↓
908	P	1	9	0			↓		↓				↓
909	P	1	9	1			↓		↓				↓
910	P	1	9	2			↓		↓				↓
911	P	1	9	4			↓		↓				↓
912	P	1	9	6			↓		↓				↓
913	P	1	9	7			↓		↓				↓
914	P	1	9	8			↓		↓				↓
915	P	1	9	9			↓		↓				↓
916	P	2	0	1			↓		↓				↓
917	P	2	0	2			↓		↓				↓
918	P	2	0	3			↓		↓				↓
919	P	2	0	4			↓		↓				↓
920	P	2	0	5			↓		↓				Included with above
921													
922													
923													
924													
925													
926													

IV. DESCRIPTION OF DANGEROUS WASTES *(continued)*

E. Use this space to list additional process codes from Section D(1) on page 3.

V. FACILITY DRAWING **Refer to attached drawing(s).**

All existing facilities must include in the space provided on page 5 a scale drawing of the facility *(see instructions for more detail)*.

VI. PHOTOGRAPHS **Refer to attached photograph(s).**

All existing facilities must include photographs *(aerial or ground-level)* that clearly delineate all existing structures; existing storage, treatment and disposal areas; and sites of future storage, treatment or disposal areas *(see instructions for more detail)*.

VII. FACILITY GEOGRAPHIC LOCATION **This information is provided on the attached drawing(s) and photograph(s).**

LATITUDE *(degrees, minutes, & seconds)*	LONGITUDE *(degrees, minutes, & seconds)*
° °	° °

VIII. FACILITY OWNER

☒ A. If the facility owner is also the facility operator as listed in Section VII on Form 1, "General Information", place an "X" in the box to the left and skip to Section IX below.

B. If the facility owner is not the facility operator as listed in Section VII on Form 1, complete the following items:

1. Name of Facility's Legal Owner		2. Phone Number *(area code & no.)*	
3. Street or P.O. Box	4. City or Town	5. St.	6. Zip Code

IX. OWNER CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Name (print or type)	Signature	Date Signed
Keith A. Klein, Manager U.S. Department of Energy Richland Operations Office	Keith A. Klein	02/05/2001

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Name (print or type)	Signature	Date Signed
SEE ATTACHMENT		

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Keith A. Klein
Owner/Operator
Keith A. Klein, Manager
U.S. Department of Energy
Richland Operations Office

2/5/01
Date

Ron D. Hanson
Co-Operator
Ron D. Hanson
President and Chief Executive Officer
Fluor Hanford

1/9/01
Date

200 West Area Site Plan



M0105-1.1

T Plant Complex Site Plan



M0104-1.3

T Plant Complex
Storage Tank Locations



M0104-1.2

T Plant Complex - 221-T Cutaway



M0105-1.2

T Plant Complex - 2706-T Site Plan



M0104-1.4

T Plant Complex Aerial View



T PLANT COMPLEX

46°30'38"
119°30'40"

99060225-10CN
(PHOTO TAKEN 1999)

T Plant Complex
214-T-Building



46°30'38"
119°30"40"

98030115-7CN
(PHOTO TAKEN 1998)

T Plant Complex
214-T Building

INTERNAL VIEW

46°30'38"
119°30'40"

98030115-5CN
(PHOTO TAKEN 1998)

T Plant Complex
211-T Waste Storage Area

46°30'38"
119°30'40"

98030115-20CN
(PHOTO TAKEN 1998)

T Plant Complex
2706-T Treatment/Storage Pad



46°30'38"
119°30'40"

98030115-3CN
(PHOTO TAKEN 1998)

T Plant Complex
R-5 Waste Storage Area



46°30'38"
119°30'40"

98030115-23CN
(PHOTO TAKEN 1998)

T Plant Complex
221-T Building

CANYON DECK

46°30'38"
119°30'40"

93051132-8CN
(PHOTO TAKEN 1993)

T Plant Complex
2706-T Building



AERIAL VIEW

46°30'38"
119°30'40"

99060225-12CN
(PHOTO TAKEN 1999)

T Plant Complex
2706-T Building

INTERIOR VIEW

46°30'38"
119°30'40"

00100005-3DF
(PHOTO TAKEN 2000)

T Plant Complex
2706-T Building



TREATMENT/STORAGE TANKS (BEFORE INSTALLATION OF 2706-TB BUILDING)

46°30'38"
119°30'40"

98030115-9CN
(PHOTO TAKEN 1998)

T Plant Complex



TYPICAL STORAGE MODULE

46°30'38"
119°30'40"

98030115-15CN
(PHOTO TAKEN 1998)

T Plant Complex
Asphalt Pad Waste Storage Area

46°30'38"
119°30'40"

98030115-11CN
(PHOTO TAKEN 1998)

DOE/RL-88-21
222-S Laboratory Complex
Rev. 9, 3/8/01

FORM 3	DANGEROUS WASTE PERMIT APPLICATION	I. EPA/State I.D. No.
		W A 7 8 9 0 0 0 8 9 6 7

FOR OFFICIAL USE ONLY

Application Approved	Date Received (month/day/year)	Comments
		Approved 03/19/01

II. FIRST OR REVISED APPLICATION

Place an "X" in the appropriate box in A or B below (mark one box only) to indicate whether this is the first application you are submitting for your facility or a revised application. If this is your first application and you already know your facility's EPA/STATE I.D. Number, or if this is a revised application, enter your facility's EPA/STATE I.D. Number in Section I above.

A. **First Application** (place an "X" below and provide the appropriate date)

☐ 1. **Existing Facility** (See instructions for definition of "existing" facility. Complete Item below.)

MO	DAY	YR
03	22	1943

For existing facilities, provide the date (mo/day/yr) operation began or the date construction commenced. (Use the boxes to the left.)

☐ 2. **New Facility** (Complete item below)

MO	DAY	YR

For new facilities, provide the date (mo/day/yr) operation began or is expected to begin.

B. **Revised Application** *(place an "X" below and complete Section I above)*

☒ 1. **Facility Has An Interim Status Permit** ☒ 2. **Facility Has A Final Permit**

III. PROCESSES - CODES AND DESIGN CAPACITIES

A. **Process Code** - Enter the code from the list of process codes below that best describes each process to be used at the facility. Ten lines are provided for entering codes. If more lines are needed, enter the code(s) in the space provided. If a process will be used that is not included in the list of codes below, then describe the process (including its design capacity) in the space provided on the (Section III-C).

B. **Process Design Capacity** - For each code entered in column A enter the capacity of the process.

1. Amount - Enter the amount.
2. Unit Of Measure - For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the *units of measure that are listed below should be used.*

PROCESS	*PROCESS CODE*	*APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY*
STORAGE:		
Container (barrel, drum, etc.)	S01	*Gallons or liters*
Tank	S02	Gallons or liters
Waste pile	S03	Cubic yards or cubic meters
Surface impoundment	S04	Gallons or liters
Containment building storage*	S06	Cubic yards or cubic meters*
DISPOSAL:		
Injection well	D80	Gallons or liters
Landfill	D81	Acre-feet (the volume that would cover one acre to a depth of one foot) or hectare-meter
Land application	D82	Acres or hectares
Ocean disposal	D83	Gallons per day or liters per day
Surface impoundment	D84	Gallons or liters
TREATMENT:		
Tank	T01	Gallons per day or liters per day
Surface impoundment	T02	Gallons per day or liters per day
Incinerator	T03	Tons per hour or metric tons per hour; gallons per hour or liters per hour
Other (Use for physical, chemical, thermal or biological treatment processes not *occurring in tanks, surface impoundments or incinerators. Describe the processes* in the space provided: Section III-C.)	T04	Gallons per day or liters per day

Units of Measure	*Unit of Measure Code*	*Units of Measure*	*Unit of Measure Code*	*Units of Measure*	*Unit of Measure Code*
Gallons	G	Liters Per Day	V	Acre-Feet	A
Liters	L	Tons Per Hour	D	Hectare-Meter	F
Cubic Yards	Y	Metric Tons Per Hour	W	Acres	B
Cubic Meters	L	Gallons Per Hour	E	Hectares	Q
Gallons Per Day	U	Liters Per Hour	U		

*Add per request of Washington State Department of Ecology (01/2001)

III. PROCESSES – CODES AND DESIGN CAPACITIES *(continued)*

Example for Completing Section III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks; one tank can hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.

Line No.	A. Process Code *(from list above)*			B. Process Design Capacity 1. Amount *(specify)*	B. Process Design Capacity 2. Unit of Measure *(enter code)*			For Official Use Only			
X-1	S	0	2	600		G					
X-2	T	0	3	20		E					
1	S	0	2	37,200		L					
2	T	0	1	780		V					
3	S	0	1	28,470		L					
4											
5											
6											
7											
8											
9											
10											

C. Space for additional process codes or for describing other process (code "T04"). For each process entered here include design capacity.

The 222-S Laboratory Complex is located in the 200 West Area of the Hanford Facility and began waste management operations in June of 1951. The 222-S Laboratory Complex consists of four waste management units: 219-S Waste Handling Facility, 222-S Dangerous and Mixed Waste Storage Area, and Rooms 2-B and 4-E.

The maximun design capacity for tank storage (S02) is 37,200 liters, tank treatment (T01) is 780 liters per day, and for container storage (S01) is 28,470 liters.

IV. DESCRIPTION OF DANGEROUS WASTES

A. Dangerous Waste Number - Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describe the characteristics and/or the toxic contaminants of those dangerous wastes.

B. Estimated Annual Quantity - For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.

C. Unit of Measure - For each quantity entered in column B enter the unit of measure code. Units of measuer which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
Pounds	P	Kilograms	K
Tons	T	Metric Tons	M

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. Processes

1. Process Codes:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.
For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.
Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. Process Description: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

1. Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.

2. In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "Included with above" and make no other entries on that line.

3. Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

Example for Completing Section IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

Line No.	A. Dangerous Waste No. (enter code)				B. Estimated Annual Quantity of Waste	C. Unit of Measure (enter code)			D. Processes				
									1. Pr3cess Codes (enter)				2. Process Description (if a code is not entered in D(1))
X-1	K	0	5	4	900		P		T03	D80			
X-2	D	0	0	2	400		P		T03	D80			
X-3	D	0	0	1	100		P		T03	D80			
X-4	D	0	0	2					T03	D80			*included with above*

Photocopy this page before completing if you have more than 26 wastes to list.

I.D. Number *(enter from page 1)*
W A 7 8 9 0 0 0 8 9 6 7

IV. DESCRIPTION OF DANGEROUS WASTES *(continued)*

Line No.	A. Dangerous Waste No. *(enter code)*	B. Estimated Annual Quantity of Waste	C. Unit of Measure *(enter code)*	D. Processes	
				1. Process Codes *(enter)*	2. Process Description *(if a code is not entered in D(1))*
1	D 0 0 1	283,955	K	S02 T01	Storage - Tank/Treatment - Tank
2	D 0 0 2		↓	↓ ↓	↓
3	D 0 0 3		↓	↓ ↓	↓
4	D 0 0 4		↓	↓ ↓	↓
5	D 0 0 5		↓	↓ ↓	↓
6	D 0 0 6		↓	↓ ↓	↓
7	D 0 0 7		↓	↓ ↓	↓
8	D 0 0 8		↓	↓ ↓	↓
9	D 0 0 9		↓	↓ ↓	↓
10	D 0 1 0		↓	↓ ↓	↓
11	D 0 1 1		↓	↓ ↓	↓
12	D 0 1 8		↓	↓ ↓	↓
13	D 0 1 9		↓	↓ ↓	↓
14	D 0 2 2		↓	↓ ↓	↓
15	D 0 2 8		↓	↓ ↓	↓
16	D 0 2 9		↓	↓ ↓	↓
17	D 0 3 0		↓	↓ ↓	↓
18	D 0 3 3		↓	↓ ↓	↓
19	D 0 3 4		↓	↓ ↓	↓
20	D 0 3 5		↓	↓ ↓	↓
21	D 0 3 6		↓	↓ ↓	↓
22	D 0 3 8		↓	↓ ↓	↓
23	D 0 3 9		↓	↓ ↓	↓
24	D 0 4 0		↓	↓ ↓	↓
25	D 0 4 1		↓	↓ ↓	↓
26	D 0 4 3		↓	↓ ↓	↓
27	W P 0 1		↓	↓ ↓	↓
28	W P 0 2		↓	↓ ↓	↓
29	W T 0 1		↓	↓ ↓	↓
30	W T 0 2		↓	↓ ↓	↓
31	F 0 0 1		↓	↓ ↓	↓
32	F 0 0 2		↓	↓ ↓	↓
33	F 0 0 3		↓	↓ ↓	↓
34	F 0 0 4		↓	↓ ↓	↓
35	F 0 0 5		↓	↓ ↓	↓
36	F 0 3 9		↓	↓ ↓	Included with above.
37	D 0 0 1	48,840	K	S01	Storage - Container
38	D 0 0 2		↓	↓	↓
39	D 0 0 3		↓	↓	↓
40	D 0 0 4		↓	↓	↓
41	D 0 0 5		↓	↓	↓
42	D 0 0 6		↓	↓	↓
43	D 0 0 7		↓	↓	↓
44	D 0 0 8		↓	↓	↓

45	D	0	0	9			↓		↓				↓
46	D	0	1	0			↓		↓				↓
47	D	0	1	1			↓		↓				↓
48	D	0	1	2			↓		↓				↓
49	D	0	1	3			↓		↓				↓
50	D	0	1	4			↓		↓				↓
51	D	0	1	5			↓		↓				↓
52	D	0	1	6			↓		↓				↓
53	D	0	1	7			↓		↓				↓
54	D	0	1	8			↓		↓				↓
55	D	0	1	9			↓		↓				↓
56	D	0	2	0			↓		↓				↓
57	D	0	2	1			↓		↓				↓
58	D	0	2	2			↓		↓				↓
59	D	0	2	3			↓		↓				↓
60	D	0	2	4			↓		↓				↓
61	D	0	2	5			↓		↓				↓
62	D	0	2	6			↓		↓				↓
63	D	0	2	7			↓		↓				↓
64	D	0	2	8			↓		↓				↓
65	D	0	2	9			↓		↓				↓
66	D	0	3	0			↓		↓				↓
67	D	0	3	1			↓		↓				↓
68	D	0	3	2			↓		↓				↓
69	D	0	3	3			↓		↓				↓
70	D	0	3	4			↓		↓				↓
71	D	0	3	5			↓		↓				↓
72	D	0	3	6			↓		↓				↓
73	D	0	3	7			↓		↓				↓
74	D	0	3	8			↓		↓				↓
75	D	0	3	9			↓		↓				↓
76	D	0	4	0			↓		↓				↓
77	D	0	4	1			↓		↓				↓
78	D	0	4	2			↓		↓				↓
79	D	0	4	3			↓		↓				↓
80	W	T	0	1			↓		↓				↓
81	W	T	0	2			↓		↓				↓
82	W	P	0	1			↓		↓				↓
83	W	P	0	2			↓		↓				↓
84	W	P	0	3			↓		↓				↓
85	W	0	0	1			↓		↓				↓
86	W	S	C	2			↓		↓				↓
87	F	0	0	1			↓		↓				↓
88	F	0	0	2			↓		↓				↓
89	F	0	0	3			↓		↓				↓
90	F	0	0	4			↓		↓				↓
91	F	0	0	5			↓		↓				↓
92	F	0	0	6			↓		↓				↓
93	F	0	0	7			↓		↓				↓
94	F	0	0	8			↓		↓				↓
95	F	0	0	9			↓		↓				↓
96	F	0	1	0			↓		↓				↓
97	F	0	1	1			↓		↓				↓
98	F	0	1	2			↓		↓				↓
99	F	0	1	9			↓		↓				↓
100	F	0	2	0			↓		↓				↓

101	F	0	2	1			↓		↓				↓
102	F	0	2	2			↓		↓				↓
103	F	0	2	3			↓		↓				↓
104	F	0	2	6			↓		↓				↓
105	F	0	2	7			↓		↓				↓
106	F	0	2	8			↓		↓				↓
107	F	0	3	9			↓		↓				↓
108	U	0	0	1			↓		↓				↓
109	U	0	0	2			↓		↓				↓
110	U	0	0	3			↓		↓				↓
111	U	0	0	4			↓		↓				↓
112	U	0	0	5			↓		↓				↓
113	U	0	0	6			↓		↓				↓
114	U	0	0	7			↓		↓				↓
115	U	0	0	8			↓		↓				↓
116	U	0	0	9			↓		↓				↓
117	U	0	1	0			↓		↓				↓
118	U	0	1	1			↓		↓				↓
119	U	0	1	2			↓		↓				↓
120	U	0	1	4			↓		↓				↓
121	U	0	1	5			↓		↓				↓
122	U	0	1	6			↓		↓				↓
123	U	0	1	7			↓		↓				↓
124	U	0	1	8			↓		↓				↓
125	U	0	1	9			↓		↓				↓
126	U	0	2	0			↓		↓				↓
127	U	0	2	1			↓		↓				↓
128	U	0	2	2			↓		↓				↓
129	U	0	2	3			↓		↓				↓
130	U	0	2	4			↓		↓				↓
131	U	0	2	5			↓		↓				↓
132	U	0	2	6			↓		↓				↓
133	U	0	2	7			↓		↓				↓
134	U	0	2	8			↓		↓				↓
135	U	0	2	9			↓		↓				↓
136	U	0	3	0			↓		↓				↓
137	U	0	3	1			↓		↓				↓
138	U	0	3	2			↓		↓				↓
139	U	0	3	3			↓		↓				↓
140	U	0	3	4			↓		↓				↓
141	U	0	3	5			↓		↓				↓
142	U	0	3	6			↓		↓				↓
143	U	0	3	7			↓		↓				↓
144	U	0	3	8			↓		↓				↓
145	U	0	3	9			↓		↓				↓
146	U	0	4	1			↓		↓				↓
147	U	0	4	2			↓		↓				↓
148	U	0	4	3			↓		↓				↓
149	U	0	4	4			↓		↓				↓
150	U	0	4	5			↓		↓				↓
151	U	0	4	6			↓		↓				↓
152	U	0	4	7			↓		↓				↓
153	U	0	4	8			↓		↓				↓
154	U	0	4	9			↓		↓				↓
155	U	0	5	0			↓		↓				↓
156	U	0	5	1			↓		↓				↓

157	U	0	5	2			↓		↓				↓
158	U	0	5	3			↓		↓				↓
159	U	0	5	5			↓		↓				↓
160	U	0	5	6			↓		↓				↓
161	U	0	5	7			↓		↓				↓
162	U	0	5	8			↓		↓				↓
163	U	0	5	9			↓		↓				↓
164	U	0	6	0			↓		↓				↓
165	U	0	6	1			↓		↓				↓
166	U	0	6	2			↓		↓				↓
167	U	0	6	3			↓		↓				↓
168	U	0	6	4			↓		↓				↓
169	U	0	6	6			↓		↓				↓
170	U	0	6	7			↓		↓				↓
171	U	0	6	8			↓		↓				↓
172	U	0	6	9			↓		↓				↓
173	U	0	7	0			↓		↓				↓
174	U	0	7	1			↓		↓				↓
175	U	0	7	2			↓		↓				↓
176	U	0	7	3			↓		↓				↓
177	U	0	7	4			↓		↓				↓
178	U	0	7	5			↓		↓				↓
179	U	0	7	6			↓		↓				↓
180	U	0	7	7			↓		↓				↓
181	U	0	7	8			↓		↓				↓
182	U	0	7	9			↓		↓				↓
183	U	0	8	0			↓		↓				↓
184	U	0	8	1			↓		↓				↓
185	U	0	8	2			↓		↓				↓
186	U	0	8	3			↓		↓				↓
187	U	0	8	4			↓		↓				↓
188	U	0	8	5			↓		↓				↓
189	U	0	8	6			↓		↓				↓
190	U	0	8	7			↓		↓				↓
191	U	0	8	8			↓		↓				↓
192	U	0	8	9			↓		↓				↓
193	U	0	9	0			↓		↓				↓
194	U	0	9	1			↓		↓				↓
195	U	0	9	2			↓		↓				↓
196	U	0	9	3			↓		↓				↓
197	U	0	9	4			↓		↓				↓
198	U	0	9	5			↓		↓				↓
199	U	0	9	6			↓		↓				↓
200	U	0	9	7			↓		↓				↓
201	U	0	9	8			↓		↓				↓
202	U	0	9	9			↓		↓				↓
203	U	1	0	1			↓		↓				↓
204	U	1	0	2			↓		↓				↓
205	U	1	0	3			↓		↓				↓
206	U	1	0	5			↓		↓				↓
207	U	1	0	6			↓		↓				↓
208	U	1	0	7			↓		↓				↓
209	U	1	0	8			↓		↓				↓
210	U	1	0	9			↓		↓				↓
211	U	1	1	0			↓		↓				↓
212	U	1	1	1			↓		↓				↓

213	U	1	1	2			↓		↓				↓
214	U	1	1	3			↓		↓				↓
215	U	1	1	4			↓		↓				↓
216	U	1	1	5			↓		↓				↓
217	U	1	1	6			↓		↓				↓
218	U	1	1	7			↓		↓				↓
219	U	1	1	8			↓		↓				↓
220	U	1	1	9			↓		↓				↓
221	U	1	2	0			↓		↓				↓
222	U	1	2	1			↓		↓				↓
223	U	1	2	2			↓		↓				↓
224	U	1	2	3			↓		↓				↓
225	U	1	2	4			↓		↓				↓
226	U	1	2	5			↓		↓				↓
227	U	1	2	6			↓		↓				↓
228	U	1	2	7			↓		↓				↓
229	U	1	2	8			↓		↓				↓
230	U	1	2	9			↓		↓				↓
231	U	1	3	0			↓		↓				↓
232	U	1	3	1			↓		↓				↓
233	U	1	3	2			↓		↓				↓
234	U	1	3	3			↓		↓				↓
235	U	1	3	4			↓		↓				↓
236	U	1	3	5			↓		↓				↓
237	U	1	3	6			↓		↓				↓
238	U	1	3	7			↓		↓				↓
239	U	1	3	8			↓		↓				↓
240	U	1	4	0			↓		↓				↓
241	U	1	4	1			↓		↓				↓
242	U	1	4	2			↓		↓				↓
243	U	1	4	3			↓		↓				↓
244	U	1	4	4			↓		↓				↓
245	U	1	4	5			↓		↓				↓
246	U	1	4	6			↓		↓				↓
247	U	1	4	7			↓		↓				↓
248	U	1	4	8			↓		↓				↓
249	U	1	4	9			↓		↓				↓
250	U	1	5	0			↓		↓				↓
251	U	1	5	1			↓		↓				↓
252	U	1	5	2			↓		↓				↓
253	U	1	5	3			↓		↓				↓
254	U	1	5	4			↓		↓				↓
255	U	1	5	5			↓		↓				↓
256	U	1	5	6			↓		↓				↓
257	U	1	5	7			↓		↓				↓
258	U	1	5	8			↓		↓				↓
259	U	1	5	9			↓		↓				↓
260	U	1	6	0			↓		↓				↓
261	U	1	6	1			↓		↓				↓
262	U	1	6	2			↓		↓				↓
263	U	1	6	3			↓		↓				↓
264	U	1	6	4			↓		↓				↓
265	U	1	6	5			↓		↓				↓
266	U	1	6	6			↓		↓				↓
267	U	1	6	7			↓		↓				↓
268	U	1	6	8			↓		↓				↓

269	U	1	6	9			↓		↓					↓
270	U	1	7	0			↓		↓					↓
271	U	1	7	1			↓		↓					↓
272	U	1	7	2			↓		↓					↓
273	U	1	7	3			↓		↓					↓
274	U	1	7	4			↓		↓					↓
275	U	1	7	6			↓		↓					↓
276	U	1	7	7			↓		↓					↓
277	U	1	7	8			↓		↓					↓
278	U	1	7	9			↓		↓					↓
279	U	1	8	0			↓		↓					↓
280	U	1	8	1			↓		↓					↓
281	U	1	8	2			↓		↓					↓
282	U	1	8	3			↓		↓					↓
283	U	1	8	4			↓		↓					↓
284	U	1	8	5			↓		↓					↓
285	U	1	8	6			↓		↓					↓
286	U	1	8	7			↓		↓					↓
287	U	1	8	8			↓		↓					↓
288	U	1	8	9			↓		↓					↓
289	U	1	9	0			↓		↓					↓
290	U	1	9	1			↓		↓					↓
291	U	1	9	2			↓		↓					↓
292	U	1	9	3			↓		↓					↓
293	U	1	9	4			↓		↓					↓
294	U	1	9	6			↓		↓					↓
295	U	2	0	0			↓		↓					↓
296	U	2	0	1			↓		↓					↓
297	U	2	0	2			↓		↓					↓
298	U	2	0	3			↓		↓					↓
299	U	2	0	4			↓		↓					↓
300	U	2	0	5			↓		↓					↓
301	U	2	0	6			↓		↓					↓
302	U	2	0	7			↓		↓					↓
303	U	2	0	8			↓		↓					↓
304	U	2	0	9			↓		↓					↓
305	U	2	1	0			↓		↓					↓
306	U	2	1	1			↓		↓					↓
307	U	2	1	2			↓		↓					↓
308	U	2	1	3			↓		↓					↓
309	U	2	1	4			↓		↓					↓
310	U	2	1	5			↓		↓					↓
311	U	2	1	6			↓		↓					↓
312	U	2	1	7			↓		↓					↓
313	U	2	1	8			↓		↓					↓
314	U	2	1	9			↓		↓					↓
315	U	2	2	0			↓		↓					↓
316	U	2	2	1			↓		↓					↓
317	U	2	2	2			↓		↓					↓
318	U	2	2	3			↓		↓					↓
319	U	2	2	5			↓		↓					↓
320	U	2	2	6			↓		↓					↓
321	U	2	2	7			↓		↓					↓
322	U	2	2	8			↓		↓					↓
323	U	2	3	4			↓		↓					↓
324	U	2	3	5			↓		↓					↓

325	U	2	3	6			↓		↓				↓
326	U	2	3	7			↓		↓				↓
327	U	2	3	8			↓		↓				↓
328	U	2	3	9			↓		↓				↓
329	U	2	4	0			↓		↓				↓
330	U	2	4	3			↓		↓				↓
331	U	2	4	4			↓		↓				↓
332	U	2	4	6			↓		↓				↓
333	U	2	4	7			↓		↓				↓
334	U	2	4	8			↓		↓				↓
335	U	2	4	9			↓		↓				↓
336	U	2	7	1			↓		↓				↓
337	U	2	7	8			↓		↓				↓
338	U	2	7	9			↓		↓				↓
339	U	2	8	0			↓		↓				↓
340	U	3	2	8			↓		↓				↓
341	U	3	5	3			↓		↓				↓
342	U	3	5	9			↓		↓				↓
343	U	3	6	4			↓		↓				↓
344	U	3	6	7			↓		↓				↓
345	U	3	7	2			↓		↓				↓
346	U	3	7	3			↓		↓				↓
347	U	3	8	7			↓		↓				↓
348	U	3	8	9			↓		↓				↓
349	U	3	9	4			↓		↓				↓
350	U	3	9	5			↓		↓				↓
351	U	4	0	4			↓		↓				↓
352	U	4	0	9			↓		↓				↓
353	U	4	1	0			↓		↓				↓
354	U	4	1	1			↓		↓				↓
355	P	0	0	1			↓		↓				↓
356	P	0	0	2			↓		↓				↓
357	P	0	0	3			↓		↓				↓
358	P	0	0	4			↓		↓				↓
359	P	0	0	5			↓		↓				↓
360	P	0	0	6			↓		↓				↓
361	P	0	0	7			↓		↓				↓
362	P	0	0	8			↓		↓				↓
363	P	0	0	9			↓		↓				↓
364	P	0	1	0			↓		↓				↓
365	P	0	1	1			↓		↓				↓
366	P	0	1	2			↓		↓				↓
367	P	0	1	3			↓		↓				↓
368	P	0	1	4			↓		↓				↓
369	P	0	1	5			↓		↓				↓
370	P	0	1	6			↓		↓				↓
371	P	0	1	7			↓		↓				↓
372	P	0	1	8			↓		↓				↓
373	P	0	2	0			↓		↓				↓
374	P	0	2	1			↓		↓				↓
375	P	0	2	2			↓		↓				↓
376	P	0	2	3			↓		↓				↓
377	P	0	2	4			↓		↓				↓
378	P	0	2	6			↓		↓				↓
379	P	0	2	7			↓		↓				↓
380	P	0	2	8			↓		↓				↓

381	P	0	2	9			↓		↓				↓
382	P	0	3	0			↓		↓				↓
383	P	0	3	1			↓		↓				↓
384	P	0	3	3			↓		↓				↓
385	P	0	3	4			↓		↓				↓
386	P	0	3	6			↓		↓				↓
387	P	0	3	7			↓		↓				↓
388	P	0	3	8			↓		↓				↓
389	P	0	3	9			↓		↓				↓
390	P	0	4	0			↓		↓				↓
391	P	0	4	1			↓		↓				↓
392	P	0	4	2			↓		↓				↓
393	P	0	4	3			↓		↓				↓
394	P	0	4	4			↓		↓				↓
395	P	0	4	5			↓		↓				↓
396	P	0	4	6			↓		↓				↓
397	P	0	4	7			↓		↓				↓
398	P	0	4	8			↓		↓				↓
399	P	0	4	9			↓		↓				↓
400	P	0	5	0			↓		↓				↓
401	P	0	5	1			↓		↓				↓
402	P	0	5	4			↓		↓				↓
403	P	0	5	6			↓		↓				↓
404	P	0	5	7			↓		↓				↓
405	P	0	5	8			↓		↓				↓
406	P	0	5	9			↓		↓				↓
407	P	0	6	0			↓		↓				↓
408	P	0	6	2			↓		↓				↓
409	P	0	6	3			↓		↓				↓
410	P	0	6	4			↓		↓				↓
411	P	0	6	5			↓		↓				↓
412	P	0	6	6			↓		↓				↓
413	P	0	6	7			↓		↓				↓
414	P	0	6	8			↓		↓				↓
415	P	0	6	9			↓		↓				↓
416	P	0	7	0			↓		↓				↓
417	P	0	7	1			↓		↓				↓
418	P	0	7	2			↓		↓				↓
419	P	0	7	3			↓		↓				↓
420	P	0	7	4			↓		↓				↓
421	P	0	7	5			↓		↓				↓
422	P	0	7	6			↓		↓				↓
423	P	0	7	7			↓		↓				↓
424	P	0	7	8			↓		↓				↓
425	P	0	8	1			↓		↓				↓
426	P	0	8	2			↓		↓				↓
427	P	0	8	4			↓		↓				↓
428	P	0	8	5			↓		↓				↓
429	P	0	8	7			↓		↓				↓
430	P	0	8	8			↓		↓				↓
431	P	0	8	9			↓		↓				↓
432	P	0	9	2			↓		↓				↓
433	P	0	9	3			↓		↓				↓
434	P	0	9	4			↓		↓				↓
435	P	0	9	5			↓		↓				↓
436	P	0	9	6			↓		↓				↓

437	P	0	9	7			↓		↓					↓
438	P	0	9	8			↓		↓					↓
439	P	0	9	9			↓		↓					↓
440	P	1	0	1			↓		↓					↓
441	P	1	0	2			↓		↓					↓
442	P	1	0	3			↓		↓					↓
443	P	1	0	4			↓		↓					↓
444	P	1	0	5			↓		↓					↓
445	P	1	0	6			↓		↓					↓
446	P	1	0	7			↓		↓					↓
447	P	1	0	8			↓		↓					↓
448	P	1	0	9			↓		↓					↓
449	P	1	1	0			↓		↓					↓
450	P	1	1	1			↓		↓					↓
451	P	1	1	2			↓		↓					↓
452	P	1	1	3			↓		↓					↓
453	P	1	1	4			↓		↓					↓
454	P	1	1	5			↓		↓					↓
455	P	1	1	6			↓		↓					↓
456	P	1	1	8			↓		↓					↓
457	P	1	1	9			↓		↓					↓
458	P	1	2	0			↓		↓					↓
459	P	1	2	1			↓		↓					↓
460	P	1	2	2			↓		↓					↓
461	P	1	2	3			↓		↓					↓
462	P	1	2	7			↓		↓					↓
463	P	1	2	8			↓		↓					↓
464	P	1	8	5			↓		↓					↓
465	P	1	8	8			↓		↓					↓
466	P	1	8	9			↓		↓					↓
467	P	1	9	0			↓		↓					↓
468	P	1	9	1			↓		↓					↓
469	P	1	9	2			↓		↓					↓
470	P	1	9	4			↓		↓					↓
471	P	1	9	6			↓		↓					↓
472	P	1	9	7			↓		↓					↓
473	P	1	9	8			↓		↓					↓
474	P	1	9	9			↓		↓					↓
475	P	2	0	1			↓		↓					↓
476	P	2	0	2			↓		↓					↓
477	P	2	0	3			↓		↓					↓
478	P	2	0	4			↓		↓					↓
479	P	2	0	5			↓		↓					Included with above.
480														
481														
482														
483														
484														

IV. DESCRIPTION OF DANGEROUS WASTES *(continued)*

E. Use this space to list additional process codes from Section D(1) on page 3.

V. FACILITY DRAWING **Refer to attached drawing(s).**

All existing facilities must include in the space provided on page 5 a scale drawing of the facility *(see instructions for more detail)*.

VI. PHOTOGRAPHS **Refer to attached photograph(s).**

All existing facilities must include photographs *(aerial or ground-level)* that clearly delineate all existing structures; existing storage, treatment and disposal areas; and sites of future storage, treatment or disposal areas *(see instructions for more detail)*.

VII. FACILITY GEOGRAPHIC LOCATION **This information is provided on the attached drawing(s) and photograph(s).**

LATITUDE *(degrees, minutes, & seconds)*	LONGITUDE *(degrees, minutes, & seconds)*
° °	° °

VIII. FACILITY OWNER

☒ A. If the facility owner is also the facility operator as listed in Section VII on Form 1, "General Information", place an "X" in the box to the left and skip to Section IX below.

B. If the facility owner is not the facility operator as listed in Section VII on Form 1, complete the following items:

1. Name of Facility's Legal Owner		2. Phone Number *(area code & no.)*	
3. Street or P.O. Box	4. City or Town	5. St.	6. Zip Code

IX. OWNER CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Name (print or type)	Signature	Date Signed
Keith A. Klein, Manager U.S. Department of Energy Richland Operations Office	Keith A. Klein	03/08/2001

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Name (print or type)	Signature	Date Signed
SEE ATTACHMENT		

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Keith A. Klein
Owner/Operator
Keith A. Klein, Manager
U.S. Department of Energy
Richland Operations Office

3/8/01
Date

Ron D. Hanson
Co-Operator
Ron D. Hanson
President and Chief Executive Officer
Fluor Hanford

2/23/01
Date

222-S Laboratory Complex and Surrounding Structures Site Plan



M0104-1.1


222-S Laboratory Complex
Container Storage Areas
(Refer to Topographic Map
Laboratory Complex H-13-000006)
222-S Dangerous and
Mixed Waste Storage Area
(HS-0062/HS-0063)
N
Deck
10'
12' 6"
32'
TSD unit
boundary
Room 2-B
Loading/Unloading Areas
222-SD
222-SC
MO-036
TSD unit
boundary
Hot
Cell
Annex
222-S
Room 4-E
MO-037
2716-S
222-SF
10TH ST
TSD Unit Boundary

M0102-2.2R1

222-S Laboratory Complex Tank System Treatment and Storage Area

(Refer to Topographic Map Laboratory Complex H-13-000006)



M0102-2.1

222-S Laboratory Complex
219-S Waste Handling Facility

46°32'05"
119°37'13"

00100005-2cn
(PHOTO TAKEN 2000)

222-S Laboratory Complex
Dangerous and Mixed Waste Storage Area

METAL STORAGE STRUCTURES

46°32'05"
119°37'13"

98110210-13.JPG
(PHOTO TAKEN 1998)

222-S Laboratory Complex
Room 2-B

HOOD FOR TRANSFER OF WASTE TO 219-S WASTE HANDLING FACILITY

46°32'03"
119°37'15"

9702043-1CN
(PHOTO TAKEN 1997)

222-S Laboratory Complex
Room 4-E

WEST SIDE
46°32'03"
119°37'15"

00060190-6DF
(PHOTO TAKEN 2000)

222-S Laboratory Complex
Room 4-E



EAST SIDE
46°32'03"
119°37'15"

00100005-1CN
(PHOTO TAKEN 2000)

HANFORD FACILITY DANGEROUS WASTE PART A PERMIT APPLICATION

CONTENTS

Last Update: May 18 2001 10:01AM

Class 1 Modification: 09/26/2000
Quarter Ending: 09/30/2000

DOE/RL-88-21
PUREX Storage Tunnels
Rev. 5A, 9/26/00

FORM 3	DANGEROUS WASTE PERMIT APPLICATION	I. EPA/State I.D. No.
		W A 7 8 9 0 0 0 8 9 6 7

FOR OFFICIAL USE ONLY

Application Approved	Date Received (month/day/year)	Comments
		Approved 12/12/00

II. FIRST OR REVISED APPLICATION

Place an "X" in the appropriate box in A or B below (mark one box only) to indicate whether this is the first application you are submitting for your facility or a revised application. If this is your first application and you already know your facility's EPA/STATE I.D. Number, or if this is a revised application, enter your facility's EPA/STATE I.D. Number in Section I above.

A. **First Application** (place an "X" below and provide the appropriate date)

☐ 1. **Existing Facility** (See instructions for definition of "existing" facility. Complete Item below.)

MO	DAY	YR
03	22	1943

For existing facilities, provide the date (mo/day/yr) operation began or the date construction commenced. (Use the boxes to the left.)

☐ 2. **New Facility** (Complete item below)

MO	DAY	YR

For new facilities, provide the date (mo/day/yr) operation began or is expected to begin.

B. **Revised Application** (place an "X" below and complete Section I above)

☒ 1. **Facility Has An Interim Status Permit** ☒ 2. **Facility Has A Final Permit**

III. PROCESSES - CODES AND DESIGN CAPACITIES

A. **Process Code** - Enter the code from the list of process codes below that best describes each process to be used at the facility. Ten lines are provided for entering codes. If more lines are needed, enter the code(s) in the space provided. If a process will be used that is not included in the list of codes below, then describe the process (including its design capacity) in the space provided on the (Section III-C).

B. **Process Design Capacity** - For each code entered in column A enter the capacity of the process.
1. Amount - Enter the amount.
2. Unit Of Measure - For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used.

PROCESS	PROCESS CODE	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
STORAGE:		
Container (barrel, drum, etc.)	S01	Gallons or liters
Tank	S02	Gallons or liters
Waste pile	S03	Cubic yards or cubic meters
Surface impoundment	S04	Gallons or liters
Containment building storage*	S06	Cubic yards or cubic meters*
DISPOSAL:		
Injection well	D80	Gallons or liters
Landfill	D81	Acre-feet (the volume that would cover one acre to a depth of one foot) or hectare-meter
Land application	D82	Acres or hectares
Ocean disposal	D83	Gallons per day or liters per day
Surface impoundment	D84	Gallons or liters
TREATMENT:		
Tank	T01	Gallons per day or liters per day
Surface impoundment	T02	Gallons per day or liters per day
Incinerator	T03	Tons per hour or metric tons per hour; gallons per hour or liters per hour
Other (Use for physical, chemical, thermal or biological treatment processes not occurring in tanks, surface impoundments or incinerators. Describe the processes in the space provided: Section III-C.)	T04	Gallons per day or liters per day

Units of Measure	Unit of Measure Code	Units of Measure	Unit of Measure Code	Units of Measure	Unit of Measure Code
Gallons	G	Liters Per Day	V	Acre-Feet	A
Liters	L	Tons Per Hour	D	Hectare-Meter	F
Cubic Yards	Y	Metric Tons Per Hour	W	Acres	B
Cubic Meters	L	Gallons Per Hour	E	Hectares	Q
Gallons Per Day	U	Liters Per Hour	U		

ECY 030-31 Form 3 (Rev. 7/97)

*Add per request of Washington State Department of Ecology (01/2001)

III. PROCESSES -- CODES AND DESIGN CAPACITIES *(continued)*

Example for Completing Section III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks; one tank can hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.

Line No.	A. Process Code (from list above)			B. Process Design Capacity 1. Amount (specify)		B. Process Design Capacity 2. Unit of Measure (enter code)		For Official Use Only			
X-1	S	0	2	600		G					
X-2	T	0	3	20		E					
1	X	9	9	24,007		C					
Process Code X99 is being used to designate the PUREX Storage tunnels as a "Miscellaneous Unit" per Washington Administrative Code 173-303-680.											
2											
3											
4											
5											
6											
7											
8											
9											
10											

C. Space for additional process codes or for describing other process (code "T04"). For each process entered here include design capacity.

X99

The PUREX Storage Tunnels, a miscellaneous unit (X99), are used for storage of mixed waste subject to the requirements of WAC 173-303-680. The two tunnels store waste from the PUREX Plant and other onsite sources. Since being placed into service, mixed waste has been stored in the tunnels on railcars. Not all material stored in the tunnels contains mixed waste.

The construction of Tunnel Number 1 was completed in 1956. The tunnel is approximately 5.8 meters (19 feet) wide by 6.7 meters (22 feet) high by 109 meters (358 feet) long and provides storage space for eight railcars. Between June 1960 and January 1965, all eight railcar positions were filled and the tunnel subsequently was sealed. The combined volume of the equipment stored on the eight railcars presently in Tunnel Number 1 is approximately 596 cubic meters (780 cubic yards). The maximum process design capacity for storage in Tunnel Number 1 is approximately 4,129 cubic meters (5,400 cubic yards).

The construction of Tunnel Number 2 was completed in 1964. Tunnel Number 2 is approximately 5.8 meters (19 feet) wide by 6.7 meters (22 feet) high by 514 meters (1,686 feet) long and provides storage space for 40 railcars. The first railcar was placed in Tunnel Number 2 in December 1967 and as of August 2000, 28 railcars have been placed in the tunnel. The combined volume of the equipment stored on the 28 railcars presently in Tunnel Number 2 is approximately 2,204 cubic meters (2,883 cubic yards). The maximum process design capacity for storage in Tunnel number 2 is approximately 19,878 cubic meters (26,000 cubic yards).

IV. DESCRIPTION OF DANGEROUS WASTES

A. Dangerous Waste Number - Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describe the characteristics and/or the toxic contaminants of those dangerous wastes.

B. Estimated Annual Quantity - For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.

C. Unit of Measure - For each quantity entered in column B enter the unit of measure code. Units of measuer which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
Pounds	P	*Kilograms*	K
Tons	T	Metric Tons	M

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. Processes

1. Process Codes:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.
For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.
Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. Process Description: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

1. Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.

2. In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "Included with above" and make no other entries on that line.

3. Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

Example for Completing Section IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

Line No.	A. Dangerous Waste No. *(enter code)*				B. Estimated Annual Quantity of Waste		C. Unit of Measure *(enter code)*		D. Processes				
									1. Pr3cess Codes *(enter)*				2. Process Description *(if a code is not entered in D(1))*
X-1	K	0	5	4	900		P		T03	D80			
X-2	D	0	0	2	400		P		T03	D80			
X-3	D	0	0	1	100		P		T03	D80			
X-4	D	0	0	2					T03	D80			*included with above*

Photocopy this page before completing if you have more than 26 wastes to list.

I.D. Number *(enter from page 1)*
W A 7 8 9 0 0 0 8 9 6 7

IV. DESCRIPTION OF DANGEROUS WASTES *(continued)*

Line No.	A. Dangerous Waste No. *(enter code)*	B. Estimated Annual Quantity of Waste	C. Unit of Measure *(enter code)*	D. Processes	
				1. Process Codes *(enter)*	2. Process Description *(if a code is not entered in D(1))*
1	D 0 0 5	454*	K	X99	Storage-Miscellaneous
2	D 0 0 6	454*	K	X99	Storage-Miscellaneous
3	W T 0 2		↓	↓	↓
4	D 0 0 7	454*	K	X99	Storage-Miscellaneous
5	D 0 0 8	8,000*	K	X99	Storage-Miscellaneous
6	D 0 0 9	45*	K	X99	Storage-Miscellaneous
7	D 0 1 0	454*	K	X99	Storage-Miscellaneous
8	D 0 1 1	680*	K	X99	Storage-Miscellaneous
9	D 0 0 1		↓	↓	↓
10	W T 0 2	454	K	X99	Storage-Miscellaneous

* The estimated annual quantity of waste listed above represents the maximum quantity of waste placed in either tunnel in a given year.

IV. DESCRIPTION OF DANGEROUS WASTES *(continued)*

E. Use this space to list additional process codes from Section D(1) on page 3.

The waste stored in the tunnels could include barium (D005), cadmium (D006), chromium (D007), lead (D008), mercury (D009), selenium (D010), silver (D011), and light mineral oil (WT02, state-only, toxic, dangerous waste) contained in oil absorption material. The silver is predominately in the form of salts and is considered ignitible (D001) because of the presence of silver nitrate ($AgNO_3$

V. FACILITY DRAWING **Refer to attached drawing(s).**

All existing facilities must include in the space provided on page 5 a scale drawing of the facility *(see instructions for more detail)*.

VI. PHOTOGRAPHS **Refer to attached photograph(s).**

All existing facilities must include photographs *(aerial or ground-level)* that clearly delineate all existing structures; existing storage, treatment and disposal areas; and sites of future storage, treatment or disposal areas *(see instructions for more detail)*.

VII. FACILITY GEOGRAPHIC LOCATION **This information is provided on the attached drawing(s) and photograph(s).**

LATITUDE *(degrees, minutes, & seconds)*	LONGITUDE *(degrees, minutes, & seconds)*
° °	° °

VIII. FACILITY OWNER

☒ A. If the facility owner is also the facility operator as listed in Section VII on Form 1, "General Information", place an "X" in the box to the left and skip to Section IX below.

B. If the facility owner is not the facility operator as listed in Section VII on Form 1, complete the following items:

1. Name of Facility's Legal Owner		2. Phone Number *(area code & no.)*	
3. Street or P.O. Box	4. City or Town	5. St.	6. Zip Code

IX. OWNER CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Name (print or type)	Signature	Date Signed
John D. Wagoner, Manager U.S. Department of Energy Richland Operations Office	John D. Wagoner Revision 5 signed 09/26/96	09/26/2000

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Name (print or type)	Signature	Date Signed
SEE ATTACHMENT		

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

John D. Wagoner (Revision 5 signed 09/26/96) 9/26/00
Owner/Operator Date
John D. Wagoner, Manager
U.S. Department of Energy
Richland Operations Office

H. J. Hatch (Revision 5 signed 09/13/96) 9/13/00
Co-Operator Date
H. J. Hatch,
President and Chief Executive Officer
Fluor Daniel Hanford, Inc.

PUREX Storage Tunnels Site Plan



H9411012.1

PUREX Tunnel No. 1 - Details



PUREX Tunnel No.1 - Plan View



PUREX Tunnel No.1 - Section View



PUREX Tunnel No.1 - Elevation View

For conversion to meters, multiply feet by 0.3048.
For conversion to centimeters, multiply inches by 2.54.

H96030106.2

PUREX Tunnel No. 2 - Details



PUREX Tunnels - Plan View





PUREX Tunnel No. 2 - Elevation View

For conversion to meters, multiply feet by 0.3048.
For conversion to centimeters, multiply inches by 2.54.

PUREX STORAGE TUNNELS



46°32'47"
119°31'07"

89100252-3CN
(PHOTO TAKEN 1989)

DOE/RL-88-21
216-B-63 Trench
Rev. 5, 11/22/99

Please print or type in the unshaded areas only
(fill-in areas are spaced for elite type, i.e. 12 character/inch).

FORM **3**

DANGEROUS WASTE PERMIT APPLICATION

I. EPA/STATE I.D. NUMBER: W A 7 8 9 0 0 0 8 9 6 7

FOR OFFICIAL USE ONLY

APPLICATION APPROVED	DATE RECEIVED *(mo., day, & yr.)*	COMMENTS
		Approved 10/30/00

II. FIRST OR REVISED APPLICATION

Place an "X" in the appropriate box in A or B below (mark one box only) to indicate whether this is the first application you are submitting for your facility or a revised application. If this is your first application and you already know your facility's EPA/STATE I.D. Number, or if this is a revised application, enter your facility's EPA/STATE I.D. Number in Section I above.

A. FIRST APPLICATION (place an "X" below and provide the appropriate date)

☐ 1. EXISTING FACILITY *(See instructions for definition of "existing" facility. Complete item below.)*

MO.	DAY	YEAR
03	22	1943

*"FOR EXISTING FACILITIES, PROVIDE THE DATE (mo., day, & yr.) OPERATION BEGAN OR THE DATE CONSTRUCTION COMMENCED (use the boxes to the left)
*The date construction of the Hanford Facility commenced.

☐ 2. NEW FACILITY *(Complete item below)*

MO.	DAY	YEAR

FOR NEW FACILITIES, PROVIDE THE DATE, *(mo., day, & yr.)* OPERATION BEGAN OR IS EXPECTED TO BEGIN

B. REVISED APPLICATION *(place an "X" below and complete Section I above)*

☒ 1. FACILITY HAS AN INTERIM STATUS PERMIT ☒ 2. FACILITY HAS A FINAL PERMIT

III. PROCESS - CODES AND CAPACITIES

A. *PROCESS CODE - Enter the code from the list of process codes below that best describes each process to be used at the facility. Ten lines are provided for entering codes. If more lines are needed, enter the code(s) in the space provided. If a process will be used that is not included in the list of codes below, then describe the process (including its design capacity) in the space provided on the (Section III-C).*

B. *PROCESS DESIGN CAPACITY - For each code entered in column A enter the capacity of the process.*

1. *AMOUNT - Enter the amount.*

2. *UNIT OF MEASURE - For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used.*

PROCESS	PROCESS CODE	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
Storage:		
CONTAINER (barrel, drum, etc.)	S01	GALLONS OR LITERS
TANK	S02	GALLONS OR LITERS
WASTE PILE	S03	CUBIC YARDS OR CUBIC METERS
SURFACE IMPOUNDMENT	S04	GALLONS OR LITERS
Disposal:		
INJECTION WELL	D80	GALLONS OR LITERS
LANDFILL	D81	ACRE-FEET *(the volume that would cover one acre to a depth of one foot)* OR HECTARE-METER
LAND APPLICATION	D82	ACRES OR HECTARES
OCEAN DISPOSAL	D83	GALLONS PER DAY OR LITERS PER DAY
SURFACE IMPOUNDMENT	D84	GALLONS OR LITERS

PROCESS	PROCESS CODE	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
Treatment:		
TANK	T01	GALLONS PER DAY OR LITERS PER DAY
SURFACE IMPOUNDMENT	T02	GALLONS PER DAY OR LITERS PER DAY
INCINERATOR	T03	TONS PER HOUR OR METRIC TONS PER HOUR; GALLONS PER HOUR OR LITERS PER HOUR
OTHER (Use for physical, chemical, thermal or biological treatment processes not occurring in tanks, surface impoundments or incinerators. Describe the processes in the space provided: Section III-C.)	T04	GALLONS PER DAY OR LITERS PER DAY

UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASURE	UNIT OF MEASURE CODE
GALLONS	G	LITERS PER DAY	V	ACRE-FEET	A
LITERS	L	TONS PER HOUR	D	HECTARE-METER	F
CUBIC YARDS	Y	METRIC TONS PER HOUR	W	ACRES	B
CUBIC METERS	C	GALLONS PER HOUR	E	HECTARES	Q
GALLONS PER DAY	U	LITERS PER HOUR	H		

EXAMPLE FOR COMPLETING SECTION III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks; one tank can hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.

LINE NUMBER	A. PROCESS CODE *(from list above)*	B. PROCESS DESIGN CAPACITY		FOR OFFICIAL USE ONLY			
		1. AMOUNT *(specify)*	2. UNIT OF MEASURE *(enter code)*				
X-1	*S02*	*600*	*G*				
X-2	*T03*	*20*	*E*				
1	T02	757,080	V				
2	D84	757,080	L				
3							
4							
5							
6							
7							
8							
9							
10							

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (CODE "T04"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

T02, D84

The 216-B-63 Trench began waste management operation in March of 1970. The 216-B-63 Trench received corrosive dangerous waste from the regeneration of demineralizer columns in B Plant. Treatment occurred by the successive addition to the trench of acidic and caustic waste, which served to neutralize the waste while in the trench. Approximately 970,000 liters per day of total flow reached the trench. The corrosive discharges constitued a major part of this flow. Dangerous waste flows to the trench ceased in 1985 and all liquid flows to the trench ceased in 1992. The trench was covered with dirt in November 1994. The inlet pipe was filled with cement in December 1994. The trench can no longer accept dangerous waste. The current process capacity of the trench is zero based on the present configuration. The process design capacity listed in Section III.B reflects a historical value of the average total volume of liquid discharged rather than the current physical capacity of the unit.

IV. DESCRIPTION OF DANGEROUS WASTES

A. DANGEROUS WASTE NUMBER - Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describe the characteristics and/or the toxic contaminants of those dangerous wastes.

B. ESTIMATED ANNUAL QUANTITY - For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.

C. UNIT OF MEASURE - For each quantity entered in column B enter the unit of measure code. Units of meaauer which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
POUNDS	P	KILOGRAMS	K
TONS	T	METRIC TONS .	M

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

1. Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.

2. In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with above" and make no other entries on that line.

3. Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

EXAMPLE FOR COMPLETING SECTION IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

LINE NO.	A. DANGEROUS WASTE NO. (enter code)	B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEASURE (enter code)	D. PROCESSES 1. PROCESS CODES (enter)				D. PROCESSES 2. PROCESS DESCRIPTION (if a code is not entered in D(1))
X-1	*K054*	*900*	*P*	*T03*	*D80*			
X-2	*D002*	*400*	*P*	*T03*	*D80*			
X-3	*D001*	*100*	*P*	*T03*	*D80*			
X-4	*D002*			*T03*	*D80*			*included with above*
1	D002	354,000,000	K	T02	D84			Surface Impoundment Neutralization/Percolation
2								
3								
4								
5								
6								
7								
8								
9								
10								

E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES FROM SECTION D(1) ON PAGE 3.

The 216-B-63 Trench received discharges of corrosive dangerous waste (D002) from B Plant. These discharges consisted of acidic and caustic backwashes from the regeneration of demineralizer columns in B Plant. Approximately 354,000,000 kilos of waste was managed in the trench on an annual basis.

V. FACILITY DRAWING **Refer to attached drawing(s).**

All existing facilities must include in the space provided on page 5 a scale drawing of the facility *(see instructions for more detail)*.

VI. PHOTOGRAPHS **Refer to attached photograph(s).**

All existing facilities must include photographs *(aerial or ground-level)* that clearly delineate all existing structures; existing storage, treatment and disposal areas; and sites of future storage, treatment or disposal areas *(see instructions for more detail)*.

VII. FACILITY GEOGRAPHIC LOCATION **This information is provided on the attached drawing(s) and photograph(s).**

LATITUDE *(degrees, minutes, & seconds)*					LONGITUDE *(degrees, minutes, & seconds)*				

VIII. FACILITY OWNER

☒ A. If the facility owner is also the facility operator as listed in Section VII on Form 1, "General Information", place an "X" in the box to the left and skip to Section IX below.

☐ B. If the facility owner is not the facility operator as listed in Section VII on Form 1, complete the following items:

1. NAME OF FACILITY'S LEGAL OWNER			2. PHONE NO. *(area code & no.)*
3. STREET OR P.O. BOX	4. CITY OR TOWN	5. ST.	6. ZIP CODE

IX. OWNER CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

NAME *(print or type)*	SIGNATURE	DATE SIGNED
Keith A. Klein, Manager U.S. Department of Energy Richland Operations Office	Keith A. Klein	11/22/1999

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

NAME *(print or type)*	SIGNATURE	DATE SIGNED
SEE ATTACHMENT		

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Keith A. Klein
Owner/Operator
Keith A. Klein, Manager
U.S. Department of Energy
Richland Operations Office

11/22/99
Date

Michael C. Hughes
Co-Operator
S. D. Leidle, President
Bechtel Hanford, Inc.

9/29/99
Date

216-B-63 Trench Site Plan



H9502037.2

216-B-63 TRENCH



46°33'46"
119°31'59"

95020800-6CN
(PHOTO TAKEN 1995)

HANFORD FACILITY DANGEROUS WASTE PART A PERMIT APPLICATION

CONTENTS

Last Update: May 18 2001 10:01AM

Class 1 Modification: 06/29/2000
Quarter Ending: 06/30/2000

DOE/RL-88-21
325 Hazardous Waste Treatment Units
Rev. 4A, 6/29/00

FORM 3 **DANGEROUS WASTE PERMIT APPLICATION**

I. EPA/State I.D. No.

W	A	7	8	9	0	0	0	8	9	6	7

FOR OFFICIAL USE ONLY

Application Approved	Date Received (month/day/year)	Comments
		Approved 08/18/00

II. FIRST OR REVISED APPLICATION

Place an "X" in the appropriate box in A or B below (mark one box only) to indicate whether this is the first application you are submitting for your facility or a revised application. If this is your first application and you already know your facility's EPA/STATE I.D. Number, or if this is a revised application, enter your facility's EPA/STATE I.D. Number in Section I above.

A. **First Application** (place an "X" below and provide the appropriate date)

☐ 1. **Existing Facility** (See instructions for definition of "existing" facility. Complete Item below.)

MO	DAY	YR
03	22	1943

For existing facilities, provide the date (mo/day/yr) operation began or the date construction commenced. (Use the boxes to the left.)

☐ 2. **New Facility** (Complete item below)

MO	DAY	YR

For new facilities, provide the date (mo/day/yr) operation began or is expected to begin.

B. **Revised Application** (place an "X" below and complete Section I above)

☒ 1. **Facility Has An Interim Status Permit** ☒ 2. **Facility Has A Final Permit**

III. PROCESSES - CODES AND DESIGN CAPACITIES

A. **Process Code** - Enter the code from the list of process codes below that best describes each process to be used at the facility. Ten lines are provided for entering codes. If more lines are needed, enter the code(s) in the space provided. If a process will be used that is not included in the list of codes below, then describe the process (including its design capacity) in the space provided on the (Section III-C).

B. **Process Design Capacity** - For each code entered in column A enter the capacity of the process.

1. Amount - Enter the amount.
2. Unit Of Measure - For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used.

PROCESS	PROCESS CODE	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
STORAGE:		
Container (barrel, drum, etc.)	S01	Gallons or liters
Tank	S02	Gallons or liters
Waste pile	S03	Cubic yards or cubic meters
Surface impoundment	S04	Gallons or liters
Containment building storage*	S06	Cubic yards or cubic meters*
DISPOSAL:		
Injection well	D80	Gallons or liters
Landfill	D81	Acre-feet (the volume that would cover one acre to a depth of one foot) or hectare-meter
Land application	D82	Acres or hectares
Ocean disposal	D83	Gallons per day or liters per day
Surface impoundment	D84	Gallons or liters
TREATMENT:		
Tank	T01	Gallons per day or liters per day
Surface impoundment	T02	Gallons per day or liters per day
Incinerator	T03	Tons per hour or metric tons per hour; gallons per hour or liters per hour
Other (Use for physical, chemical, thermal or biological treatment processes not occurring in tanks, surface impoundments or incinerators. Describe the processes in the space provided: Section III-C.)	T04	Gallons per day or liters per day

Units of Measure	Unit of Measure Code	Units of Measure	Unit of Measure Code	Units of Measure	Unit of Measure Code
Gallons	G	Liters Per Day	V	Acre-Feet	A
Liters	L	Tons Per Hour	D	Hectare-Meter	F
Cubic Yards	Y	Metric Tons Per Hour	W	Acres	B
Cubic Meters	L	Gallons Per Hour	E	Hectares	Q
Gallons Per Day	U	Liters Per Hour	U		

*Add per request of Washington State Department of Ecology (01/2001)

III. PROCESSES -- CODES AND DESIGN CAPACITIES *(continued)*

Example for Completing Section III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks; one tank can hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.

Line No.	A. Process Code *(from list above)*			B. Process Design Capacity 1. Amount *(specify)*	B. Process Design Capacity 2. Unit of Measure *(enter code)*			For Official Use Only			
X-1	S	0	2	600		G					
X-2	T	0	3	20		E					
1	S	0	1	10,000		L					
2	T	0	4	1,514		V					
3	S	0	2	12,574		L					
4	T	0	1	12,574		V					
5											
6											
7											
8											
9											
10											

C. Space for additional process codes or for describing other process (code "T04"). For each process entered here include design capacity.

S01, T04, S02, T01

The 325 Hazardous Waste Treatment Units (325 HWTUs) consist of the Shielded Analytical Laboratory (SAL) which includes Rooms 32, 200, 201, 202, and 203; the Hazardous Waste Treatment Unit (HWTU) encompassing Rooms 520 and 528 of the 325 Building, and the 325 Radioactive Liquid Waste Tank (RLWT)located in the southeast corner of the basement of the 325 Building. The 325 HWTUs began waste management operations in 1991 (SAL) and 1995 (HWTU). Up to 10,000 liters of dangerous and/or mixed waste may be stored in containers in the 325 HWTUs (S01). A maximum of 1514 liters of dangerous and/or mixed waste may be treated per day in containers in the 325 HWTUs (T04).

Liquid dangerous and/or mixed waste is transferred to tank storage via gravity drain lines located in the SAL (which drain into tank TK-1) and in Room 528 [which drain directly to the radioactive liquid waste system (RLWS)]. Tank TK-1 is drained via a jet system into the RLWS then to the RLWT and is used to collect liquid dangerous and/or mixed waste. The RLWT transfers collected dangerous and/or mixed waste to a loadout station, where mobile containers are loaded to transfer the liquid dangerous and/or mixed waste to the Double-Shell Tank System. A maximum of 12,574 liters of dangerous and/or mixed waste may be stored in tanks in the 325 HWTUs (S02). A maximum of 12,574 liters of dangerous and/or mixed waste may be treated in tanks per day in the 325 HWTUs (T01).

Dangerous and/or mixed waste treatments are generally conducted as small bench-scale operations except for in-tank treatments. Treatment processes utilized at the 325 HWTUs may include the following:

T11 Molten salt destructor
T12 Pyrolysis
T13 Wet air oxidation
T14 Calcination
T15 Microwave discharge
T18 Other thermal treatment
T21 Chemical fixation
T22 Chemical oxidation
T23 Chemical precipitation
T24 Chemical reduction
T25 Chlorination
T26 Chlorinolysis
T27 Cynanide destruction
T28 Degradation
T29 Detoxification
T30 Ion exchange
T31 Neutralization
T32 Ozonation
T33 Photolysis
T34 Other chemical treatment
T35 Centrifugation
T36 Clarification
T37 Coagulation
T38 Decanting
T39 Encapsulation
T40 Filtration
T41 Flocculation
T42 Flotation
T43 Foaming
T44 Sedimentation
T45 Thickening
T46 Ultrafiltration
T47 Other separation technology
T48 Absorption-molecular sieve
T49 Activated carbon
T50 Blending
T51 Catalysis
T52 Crystallization
T53 Dialysis
T54 Distillation
T55 Electrodialysis
T56 Electrolysis
T57 Evaporation
T58 High gradient magnetic separation
T59 Leaching
T60 Liquid ion exchange
T61 Liquid-liquid extraction
T62 Reverse osmosis
T63 Solvent recovery
T64 Stripping
T65 Sand filter
T66 Other removal technology
T67 Activated sludge
T69 Aerobic tank
T70 Anaerobic lagoon or tank
T71 Composting
T74 Thickening filter
T75 Trickling filter
T77 Other biological treatment

IV. DESCRIPTION OF DANGEROUS WASTES

A. Dangerous Waste Number - Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describe the characteristics and/or the toxic contaminants of those dangerous wastes.

B. Estimated Annual Quantity - For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.

C. Unit of Measure - For each quantity entered in column B enter the unit of measure code. Units of measuer which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
Pounds	P	Kilograms	K
Tons	T	Metric Tons	M

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. Processes

1. Process Codes:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.
For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.
Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. Process Description: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

1. Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.

2. In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "Included with above" and make no other entries on that line.

3. Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

Example for Completing Section IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

Line No.	A. Dangerous Waste No. (enter code)				B. Estimated Annual Quantity of Waste	C. Unit of Measure (enter code)			D. Processes				
									1. Process Codes (enter)				2. Process Description (if a code is not entered in D(1))
X-1	K	0	5	4	900		P		T03	D80			
X-2	D	0	0	2	400		P		T03	D80			
X-3	D	0	0	1	100		P		T03	D80			
X-4	D	0	0	2					T03	D80			*included with above*

Photocopy this page before completing if you have more than 26 wastes to list.

I.D. Number *(enter from page 1)*	
W A 7 8 9 0 0 0 8 9 6 7	

IV. DESCRIPTION OF DANGEROUS WASTES *(continued)*

Line No.	A. Dangerous Waste No. *(enter code)*	B. Estimated Annual Quantity of Waste	C. Unit of Measure *(enter code)*	D. Processes	
				1. Process Codes *(enter)*	2. Process Description *(if a code is not entered in D(1))*
1	D 0 0 1	82,500*	K	S01 T04	Storage-Container/Treatment-Other
* 60,000 (S01); 22,500 (T04)					
2	D 0 0 2		↓	↓ ↓	↓
3	D 0 0 3		↓	↓ ↓	↓
4	D 0 0 4		↓	↓ ↓	↓
5	D 0 0. 5		↓	↓ ↓	↓
6	D 0 0 6		↓	↓ ↓	↓
7	D 0 0 7		↓	↓ ↓	↓
8	D 0 0 8		↓	↓ ↓	↓
9	D 0 0 9		↓	↓ ↓	↓
10	D 0 1 0		↓	↓ ↓	↓
11	D 0 1 1		↓	↓ ↓	↓
12	D 0 1 2		↓	↓ ↓	↓
13	D 0 1 3		↓	↓ ↓	↓
14	D 0 1 4		↓	↓ ↓	↓
15	D 0 1 5		↓	↓ ↓	↓
16	D 0 1 6		↓	↓ ↓	↓
17	D 0 1 7		↓	↓ ↓	↓
18	D 0 1 8		↓	↓ ↓	↓
19	D 0 1 9		↓	↓ ↓	↓
20	D 0 2 0		↓	↓ ↓	↓
21	D 0 2 1		↓	↓ ↓	↓
22	D 0 2 2		↓	↓ ↓	↓
23	D 0 2 3		↓	↓ ↓	↓
24	D 0 2 4		↓	↓ ↓	↓
25	D 0 2 5		↓	↓ ↓	↓
26	D 0 2 6		↓	↓ ↓	↓
27	D 0 2 7		↓	↓ ↓	↓
28	D 0 2 8		↓	↓ ↓	↓
29	D 0 2 9		↓	↓ ↓	↓
30	D 0 3 0		↓	↓ ↓	↓
31	D 0 3 1		↓	↓ ↓	↓
32	D 0 3 2		↓	↓ ↓	↓
33	D 0 3 3		↓	↓ ↓	↓
34	D 0 3 4		↓	↓ ↓	↓
35	D 0 3 5		↓	↓ ↓	↓
36	D 0 3 6		↓	↓ ↓	↓
37	D 0 3 7		↓	↓ ↓	↓
38	D 0 3 8		↓	↓ ↓	↓
39	D 0 3 9		↓	↓ ↓	↓
40	D 0 4 0		↓	↓ ↓	↓
41	D 0 4 1		↓	↓ ↓	↓
42	D 0 4 2		↓	↓ ↓	↓
43	D 0 4 3		↓	↓ ↓	↓

44	F	0	0	1			↓		↓	↓			↓	
45	F	0	0	2			↓		↓	↓			↓	
46	F	0	0	3			↓		↓	↓			↓	
47	F	0	0	4			↓		↓	↓			↓	
48	F	0	0	5			↓		↓	↓			↓	
49	F	0	2	7			↓		↓	↓			↓	
50	F	0	3	9			↓		↓	↓			↓	
51	K	0	1	1			↓		↓	↓			↓	
52	K	0	1	3			↓		↓	↓			↓	
53	K	0	4	8			↓		↓	↓			↓	
54	K	0	4	9			↓		↓	↓			↓	
55	K	0	5	0			↓		↓	↓			↓	
56	K	0	5	1			↓		↓	↓			↓	
57	K	0	5	2			↓		↓	↓			↓	
58	P	0	0	1			↓		↓	↓			↓	
59	P	0	0	2			↓		↓	↓			↓	
60	P	0	0	3			↓		↓	↓			↓	
61	P	0	0	4			↓		↓	↓			↓	
62	P	0	0	5			↓		↓	↓			↓	
63	P	0	0	6			↓		↓	↓			↓	
64	P	0	0	7			↓		↓	↓			↓	
65	P	0	0	8			↓		↓	↓			↓	
66	P	0	0	9			↓		↓	↓			↓	
67	P	0	1	0			↓		↓	↓			↓	
68	P	0	1	1			↓		↓	↓			↓	
69	P	0	1	2			↓		↓	↓			↓	
70	P	0	1	3			↓		↓	↓			↓	
71	P	0	1	4			↓		↓	↓			↓	
72	P	0	1	5			↓		↓	↓			↓	
73	P	0	1	6			↓		↓	↓			↓	
74	P	0	1	7			↓		↓	↓			↓	
75	P	0	1	8			↓		↓	↓			↓	
76	P	0	2	0			↓		↓	↓			↓	
77	P	0	2	1			↓		↓	↓			↓	
78	P	0	2	2			↓		↓	↓			↓	
79	P	0	2	3			↓		↓	↓			↓	
80	P	0	2	4			↓		↓	↓			↓	
81	P	0	2	6			↓		↓	↓			↓	
82	P	0	2	7			↓		↓	↓			↓	
83	P	0	2	8			↓		↓	↓			↓	
84	P	0	2	9			↓		↓	↓			↓	
85	P	0	3	0			↓		↓	↓			↓	
86	P	0	3	1			↓		↓	↓			↓	
87	P	0	3	3			↓		↓	↓			↓	
88	P	0	3	4			↓		↓	↓			↓	
89	P	0	3	6			↓		↓	↓			↓	
90	P	0	3	7			↓		↓	↓			↓	
91	P	0	3	8			↓		↓	↓			↓	
92	P	0	3	9			↓		↓	↓			↓	
93	P	0	4	0			↓		↓	↓			↓	
94	P	0	4	1			↓		↓	↓			↓	
95	P	0	4	2			↓		↓	↓			↓	
96	P	0	4	3			↓		↓	↓			↓	
97	P	0	4	4			↓		↓	↓			↓	
98	P	0	4	5			↓		↓	↓			↓	
99	P	0	4	6			↓		↓	↓			↓	

100	P	0	4	7			↓		↓	↓				↓
101	P	0	4	8			↓		↓	↓				↓
102	P	0	4	9			↓		↓	↓				↓
103	P	0	5	0			↓		↓	↓				↓
104	P	0	5	1			↓		↓	↓				↓
105	P	0	5	4			↓		↓	↓				↓
106	P	0	5	6			↓		↓	↓				↓
107	P	0	5	7			↓		↓	↓				↓
108	P	0	5	8			↓		↓	↓				↓
109	P	0	5	9			↓		↓	↓				↓
110	P	0	6	0			↓		↓	↓				↓
111	P	0	6	2			↓		↓	↓				↓
112	P	0	6	3			↓		↓	↓				↓
113	P	0	6	4			↓		↓	↓				↓
114	P	0	6	5			↓		↓	↓				↓
115	P	0	6	6			↓		↓	↓				↓
116	P	0	6	7			↓		↓	↓				↓
117	P	0	6	8			↓		↓	↓				↓
118	P	0	6	9			↓		↓	↓				↓
119	P	0	7	0			↓		↓	↓				↓
120	P	0	7	1			↓		↓	↓				↓
121	P	0	7	2			↓		↓	↓				↓
122	P	0	7	3			↓		↓	↓				↓
123	P	0	7	4			↓		↓	↓				↓
124	P	0	7	5			↓		↓	↓				↓
125	P	0	7	6			↓		↓	↓				↓
126	P	0	7	7			↓		↓	↓				↓
127	P	0	7	8			↓		↓	↓				↓
128	P	0	8	1			↓		↓	↓				↓
129	P	0	8	2			↓		↓	↓				↓
130	P	0	8	4			↓		↓	↓				↓
131	P	0	8	5			↓		↓	↓				↓
132	P	0	8	7			↓		↓	↓				↓
133	P	0	8	8			↓		↓	↓				↓
134	P	0	8	9			↓		↓	↓				↓
135	P	0	9	2			↓		↓	↓				↓
136	P	0	9	3			↓		↓	↓				↓
137	P	0	9	4			↓		↓	↓				↓
138	P	0	9	5			↓		↓	↓				↓
139	P	0	9	6			↓		↓	↓				↓
140	P	0	9	7			↓		↓	↓				↓
141	P	0	9	8			↓		↓	↓				↓
142	P	0	9	9			↓		↓	↓				↓
143	P	1	0	1			↓		↓	↓				↓
144	P	1	0	2			↓		↓	↓				↓
145	P	1	0	3			↓		↓	↓				↓
146	P	1	0	4			↓		↓	↓				↓
147	P	1	0	5			↓		↓	↓				↓
148	P	1	0	6			↓		↓	↓				↓
149	P	1	0	8			↓		↓	↓				↓
150	P	1	0	9			↓		↓	↓				↓
151	P	1	1	0			↓		↓	↓				↓
152	P	1	1	1			↓		↓	↓				↓
153	P	1	1	2			↓		↓	↓				↓
154	P	1	1	3			↓		↓	↓				↓
155	P	1	1	4			↓		↓	↓				↓

156	P	1	1	5			↓		↓	↓			↓
157	P	1	1	6			↓		↓	↓			↓
158	P	1	1	8			↓		↓	↓			↓
159	P	1	1	9			↓		↓	↓			↓
160	P	1	2	0			↓		↓	↓			↓
161	P	1	2	1			↓		↓	↓			↓
162	P	1	2	2			↓		↓	↓			↓
163	P	1	2	3			↓		↓	↓			↓
164	P	1	2	7			↓		↓	↓			↓
165	P	1	2	8			↓		↓	↓			↓
166	P	1	8	5			↓		↓	↓			↓
167	P	1	8	8			↓		↓	↓			↓
168	P	1	8	9			↓		↓	↓			↓
169	P	1	9	0			↓		↓	↓			↓
170	P	1	9	1			↓		↓	↓			↓
171	P	1	9	2			↓		↓	↓			↓
172	P	1	9	4			↓		↓	↓			↓
173	P	1	9	6			↓		↓	↓			↓
174	P	1	9	7			↓		↓	↓			↓
175	P	1	9	8			↓		↓	↓			↓
176	P	1	9	9			↓		↓	↓			↓
177	P	2	0	1			↓		↓	↓			↓
178	P	2	0	2			↓		↓	↓			↓
179	P	2	0	3			↓		↓	↓			↓
180	P	2	0	4			↓		↓	↓			↓
181	P	2	0	5			↓		↓	↓			↓
182	U	0	0	1			↓		↓	↓			↓
183	U	0	0	2			↓		↓	↓			↓
184	U	0	0	3			↓		↓	↓			↓
185	U	0	0	4			↓		↓	↓			↓
186	U	0	0	5			↓		↓	↓			↓
187	U	0	0	6			↓		↓	↓			↓
188	U	0	0	7			↓		↓	↓			↓
189	U	0	0	8			↓		↓	↓			↓
190	U	0	0	9			↓		↓	↓			↓
191	U	0	1	0			↓		↓	↓			↓
192	U	0	1	1			↓		↓	↓			↓
193	U	0	1	2			↓		↓	↓			↓
194	U	0	1	4			↓		↓	↓			↓
195	U	0	1	5			↓		↓	↓			↓
196	U	0	1	6			↓		↓	↓			↓
197	U	0	1	7			↓		↓	↓			↓
198	U	0	1	8			↓		↓	↓			↓
199	U	0	1	9			↓		↓	↓			↓
200	U	0	2	0			↓		↓	↓			↓
201	U	0	2	1			↓		↓	↓			↓
202	U	0	2	2			↓		↓	↓			↓
203	U	0	2	3			↓		↓	↓			↓
204	U	0	2	4			↓		↓	↓			↓
205	U	0	2	5			↓		↓	↓			↓
206	U	0	2	6			↓		↓	↓			↓
207	U	0	2	7			↓		↓	↓			↓
208	U	0	2	8			↓		↓	↓			↓
209	U	0	2	9			↓		↓	↓			↓
210	U	0	3	0			↓		↓	↓			↓
211	U	0	3	1			↓		↓	↓			↓

212	U	0	3	2			↓		↓	↓				↓
213	U	0	3	3			↓		↓	↓				↓
214	U	0	3	4			↓		↓	↓				↓
215	U	0	3	5			↓		↓	↓				↓
216	U	0	3	6			↓		↓	↓				↓
217	U	0	3	7			↓		↓	↓				↓
218	U	0	3	8			↓		↓	↓				↓
219	U	0	3	9			↓		↓	↓				↓
220	U	0	4	1			↓		↓	↓				↓
221	U	0	4	2			↓		↓	↓				↓
222	U	0	4	3			↓		↓	↓				↓
223	U	0	4	4			↓		↓	↓				↓
224	U	0	4	5			↓		↓	↓				↓
225	U	0	4	6			↓		↓	↓				↓
226	U	0	4	7			↓		↓	↓				↓
227	U	0	4	8			↓		↓	↓				↓
228	U	0	4	9			↓		↓	↓				↓
229	U	0	5	0			↓		↓	↓				↓
230	U	0	5	1			↓		↓	↓				↓
231	U	0	5	2			↓		↓	↓				↓
232	U	0	5	3			↓		↓	↓				↓
233	U	0	5	5			↓		↓	↓				↓
234	U	0	5	6			↓		↓	↓				↓
235	U	0	5	7			↓		↓	↓				↓
236	U	0	5	8			↓		↓	↓				↓
237	U	0	5	9			↓		↓	↓				↓
238	U	0	6	0			↓		↓	↓				↓
239	U	0	6	1			↓		↓	↓				↓
240	U	0	6	2			↓		↓	↓				↓
241	U	0	6	3			↓		↓	↓				↓
242	U	0	6	4			↓		↓	↓				↓
243	U	0	6	6			↓		↓	↓				↓
244	U	0	6	7			↓		↓	↓				↓
245	U	0	6	8			↓		↓	↓				↓
246	U	0	6	9			↓		↓	↓				↓
247	U	0	7	0			↓		↓	↓				↓
248	U	0	7	1			↓		↓	↓				↓
249	U	0	7	2			↓		↓	↓				↓
250	U	0	7	3			↓		↓	↓				↓
251	U	0	7	4			↓		↓	↓				↓
252	U	0	7	5			↓		↓	↓				↓
253	U	0	7	6			↓		↓	↓				↓
254	U	0	7	7			↓		↓	↓				↓
255	U	0	7	8			↓		↓	↓				↓
256	U	0	7	9			↓		↓	↓				↓
257	U	0	8	0			↓		↓	↓				↓
258	U	0	8	1			↓		↓	↓				↓
259	U	0	8	2			↓		↓	↓				↓
260	U	0	8	3			↓		↓	↓				↓
261	U	0	8	4			↓		↓	↓				↓
262	U	0	8	5			↓		↓	↓				↓
263	U	0	8	6			↓		↓	↓				↓
264	U	0	8	7			↓		↓	↓				↓
265	U	0	8	8			↓		↓	↓				↓
266	U	0	8	9			↓		↓	↓				↓
267	U	0	9	0			↓		↓	↓				↓

268	U	0	9	1			↓		↓	↓			↓
269	U	0	9	2			↓		↓	↓			↓
270	U	0	9	3			↓		↓	↓			↓
271	U	0	9	4			↓		↓	↓			↓
272	U	0	9	5			↓		↓	↓			↓
273	U	0	9	6			↓		↓	↓			↓
274	U	0	9	7			↓		↓	↓			↓
275	U	0	9	8			↓		↓	↓			↓
276	U	0	9	9			↓		↓	↓			↓
277	U	1	0	1			↓		↓	↓			↓
278	U	1	0	2			↓		↓	↓			↓
279	U	1	0	3			↓		↓	↓			↓
280	U	1	0	5			↓		↓	↓			↓
281	U	1	0	6			↓		↓	↓			↓
282	U	1	0	7			↓		↓	↓			↓
283	U	1	0	8			↓		↓	↓			↓
284	U	1	0	9			↓		↓	↓			↓
285	U	1	1	0			↓		↓	↓			↓
286	U	1	1	1			↓		↓	↓			↓
287	U	1	1	2			↓		↓	↓			↓
288	U	1	1	3			↓		↓	↓			↓
289	U	1	1	4			↓		↓	↓			↓
290	U	1	1	5			↓		↓	↓			↓
291	U	1	1	6			↓		↓	↓			↓
292	U	1	1	7			↓		↓	↓			↓
293	U	1	1	8			↓		↓	↓			↓
294	U	1	1	9			↓		↓	↓			↓
295	U	1	2	0			↓		↓	↓			↓
296	U	1	2	1			↓		↓	↓			↓
297	U	1	2	2			↓		↓	↓			↓
298	U	1	2	3			↓		↓	↓			↓
299	U	1	2	4			↓		↓	↓			↓
300	U	1	2	5			↓		↓	↓			↓
301	U	1	2	6			↓		↓	↓			↓
302	U	1	2	7			↓		↓	↓			↓
303	U	1	2	8			↓		↓	↓			↓
304	U	1	2	9			↓		↓	↓			↓
305	U	1	3	0			↓		↓	↓			↓
306	U	1	3	1			↓		↓	↓			↓
307	U	1	3	2			↓		↓	↓			↓
308	U	1	3	3			↓		↓	↓			↓
309	U	1	3	4			↓		↓	↓			↓
310	U	1	3	5			↓		↓	↓			↓
311	U	1	3	6			↓		↓	↓			↓
312	U	1	3	7			↓		↓	↓			↓
313	U	1	3	8			↓		↓	↓			↓
314	U	1	4	0			↓		↓	↓			↓
315	U	1	4	1			↓		↓	↓			↓
316	U	1	4	2			↓		↓	↓			↓
317	U	1	4	3			↓		↓	↓			↓
318	U	1	4	4			↓		↓	↓			↓
319	U	1	4	5			↓		↓	↓			↓
320	U	1	4	6			↓		↓	↓			↓
321	U	1	4	7			↓		↓	↓			↓
322	U	1	4	8			↓		↓	↓			↓
323	U	1	4	9			↓		↓	↓			↓

324	U	1	5	0			↓		↓	↓			↓
325	U	1	5	1			↓		↓	↓			↓
326	U	1	5	2			↓		↓	↓			↓
327	U	1	5	3			↓		↓	↓			↓
328	U	1	5	4			↓		↓	↓			↓
329	U	1	5	5			↓		↓	↓			↓
330	U	1	5	6			↓		↓	↓			↓
331	U	1	5	7			↓		↓	↓			↓
332	U	1	5	8			↓		↓	↓			↓
333	U	1	5	9			↓		↓	↓			↓
334	U	1	6	0			↓		↓	↓			↓
335	U	1	6	1			↓		↓	↓			↓
336	U	1	6	2			↓		↓	↓			↓
337	U	1	6	3			↓		↓	↓			↓
338	U	1	6	4			↓		↓	↓			↓
339	U	1	6	5			↓		↓	↓			↓
340	U	1	6	6			↓		↓	↓			↓
341	U	1	6	7			↓		↓	↓			↓
342	U	1	6	8			↓		↓	↓			↓
343	U	1	6	9			↓		↓	↓			↓
344	U	1	7	0			↓		↓	↓			↓
345	U	1	7	1			↓		↓	↓			↓
346	U	1	7	2			↓		↓	↓			↓
347	U	1	7	3			↓		↓	↓			↓
348	U	1	7	4			↓		↓	↓			↓
349	U	1	7	6			↓		↓	↓			↓
350	U	1	7	7			↓		↓	↓			↓
351	U	1	7	8			↓		↓	↓			↓
352	U	1	7	9			↓		↓	↓			↓
353	U	1	8	0			↓		↓	↓			↓
354	U	1	8	1			↓		↓	↓			↓
355	U	1	8	2			↓		↓	↓			↓
356	U	1	8	3			↓		↓	↓			↓
357	U	1	8	4			↓		↓	↓			↓
358	U	1	8	5			↓		↓	↓			↓
359	U	1	8	6			↓		↓	↓			↓
360	U	1	8	7			↓		↓	↓			↓
361	U	1	8	8			↓		↓	↓			↓
362	U	1	8	9			↓		↓	↓			↓
363	U	1	9	0			↓		↓	↓			↓
364	U	1	9	1			↓		↓	↓			↓
365	U	1	9	2			↓		↓	↓			↓
366	U	1	9	3			↓		↓	↓			↓
367	U	1	9	4			↓		↓	↓			↓
368	U	1	9	6			↓		↓	↓			↓
369	U	1	9	7			↓		↓	↓			↓
370	U	2	0	0			↓		↓	↓			↓
371	U	2	0	1			↓		↓	↓			↓
372	U	2	0	2			↓		↓	↓			↓
373	U	2	0	3			↓		↓	↓			↓
374	U	2	0	4			↓		↓	↓			↓
375	U	2	0	5			↓		↓	↓			↓
376	U	2	0	6			↓		↓	↓			↓
377	U	2	0	7			↓		↓	↓			↓
378	U	2	0	8			↓		↓	↓			↓
379	U	2	0	9			↓		↓	↓			↓

380	U	2	1	0			↓		↓	↓				↓
381	U	2	1	1			↓		↓	↓				↓
382	U	2	1	3			↓		↓	↓				↓
383	U	2	1	4			↓		↓	↓				↓
384	U	2	1	5			↓		↓	↓				↓
385	U	2	1	6			↓		↓	↓				↓
386	U	2	1	7			↓		↓	↓				↓
387	U	2	1	8			↓		↓	↓				↓
388	U	2	1	9			↓		↓	↓				↓
389	U	2	2	0			↓		↓	↓				↓
390	U	2	2	1			↓		↓	↓				↓
391	U	2	2	2			↓		↓	↓				↓
392	U	2	2	3			↓		↓	↓				↓
393	U	2	2	5			↓		↓	↓				↓
394	U	2	2	6			↓		↓	↓				↓
395	U	2	2	7			↓		↓	↓				↓
396	U	2	2	8			↓		↓	↓				↓
397	U	2	3	4			↓		↓	↓				↓
398	U	2	3	5			↓		↓	↓				↓
399	U	2	3	6			↓		↓	↓				↓
400	U	2	3	7			↓		↓	↓				↓
401	U	2	3	8			↓		↓	↓				↓
402	U	2	3	9			↓		↓	↓				↓
403	U	2	4	0			↓		↓	↓				↓
404	U	2	4	3			↓		↓	↓				↓
405	U	2	4	4			↓		↓	↓				↓
406	U	2	4	6			↓		↓	↓				↓
407	U	2	4	7			↓		↓	↓				↓
408	U	2	4	8			↓		↓	↓				↓
409	U	2	4	9			↓		↓	↓				↓
410	U	2	7	1			↓		↓	↓				↓
411	U	2	7	7			↓		↓	↓				↓
412	U	2	7	8			↓		↓	↓				↓
413	U	2	7	9			↓		↓	↓				↓
414	U	2	8	0			↓		↓	↓				↓
415	U	3	2	8			↓		↓	↓				↓
416	U	3	5	3			↓		↓	↓				↓
417	U	3	5	9			↓		↓	↓				↓
418	U	3	6	4			↓		↓	↓				↓
419	U	3	6	5			↓		↓	↓				↓
420	U	3	6	6			↓		↓	↓				↓
421	U	3	6	7			↓		↓	↓				↓
422	U	3	7	2			↓		↓	↓				↓
423	U	3	7	3			↓		↓	↓				↓
424	U	3	7	5			↓		↓	↓				↓
425	U	3	7	6			↓		↓	↓				↓
426	U	3	7	7			↓		↓	↓				↓
427	U	3	7	8			↓		↓	↓				↓
428	U	3	7	9			↓		↓	↓				↓
429	U	3	8	1			↓		↓	↓				↓
430	U	3	8	2			↓		↓	↓				↓
431	U	3	8	3			↓		↓	↓				↓
432	U	3	8	4			↓		↓	↓				↓
433	U	3	8	5			↓		↓	↓				↓
434	U	3	8	6			↓		↓	↓				↓
435	U	3	8	7			↓		↓	↓				↓

436	U	3	8	9			↓		↓	↓			↓
437	U	3	9	0			↓		↓	↓			↓
438	U	3	9	1			↓		↓	↓			↓
439	U	3	9	2			↓		↓	↓			↓
440	U	3	9	3			↓		↓	↓			↓
441	U	3	9	4			↓		↓	↓			↓
442	U	3	9	5			↓		↓	↓			↓
443	U	3	9	6			↓		↓	↓			↓
444	U	4	0	0			↓		↓	↓			↓
445	U	4	0	1			↓		↓	↓			↓
446	U	4	0	2			↓		↓	↓			↓
447	U	4	0	3			↓		↓	↓			↓
448	U	4	0	4			↓		↓	↓			↓
449	U	4	0	7			↓		↓	↓			↓
450	U	4	0	9			↓		↓	↓			↓
451	U	4	1	0			↓		↓	↓			↓
452	U	4	1	1			↓		↓	↓			↓
453	W	T	0	1			↓		↓	↓			↓
454	W	T	0	2			↓		↓	↓			↓
455	W	P	0	1			↓		↓	↓			↓
456	W	P	0	2			↓		↓	↓			↓
457	W	P	0	3			↓		↓	↓			↓
458	W	S	C	2			↓		↓	↓			Included With Above
459	*D*	*0*	*0*	*1*	*80,000*		K		*S02*	*T01*			Storage-Tank/Treatment-Tank
460	D	0	0	2			↓		↓	↓			↓
461	D	0	0	3			↓		↓	↓			↓
462	*D*	*0*	*0*	*4*			↓		↓	↓			↓
463	D	0	0	5			↓		↓	↓			↓
464	D	0	0	6			↓		↓	↓			↓
465	D	0	0	7			↓		↓	↓			↓
466	D	0	0	8			↓		↓	↓			↓
467	D	0	0	9			↓		↓	↓			↓
468	D	0	1	0			↓		↓	↓			↓
469	D	0	1	1			↓		↓	↓			↓
470	D	0	1	8			↓		↓	↓			↓
471	D	0	1	9			↓		↓	↓			↓
472	D	0	2	2			↓		↓	↓			↓
473	D	0	2	8			↓		↓	↓			↓
474	D	0	2	9			↓		↓	↓			↓
475	D	0	3	0			↓		↓	↓			↓
476	D	0	3	3			↓		↓	↓			↓
477	D	0	3	4			↓		↓	↓			↓
478	D	0	3	5			↓		↓	↓			↓
479	D	0	3	6			↓		↓	↓			↓
480	D	0	3	8			↓		↓	↓			↓
481	D	0	3	9			↓		↓	↓			↓
482	D	0	4	0			↓		↓	↓			↓
483	D	0	4	1			↓		↓	↓			↓
484	D	0	4	3			↓		↓	↓			↓
485	W	T	0	1			↓		↓	↓			↓
486	W	T	0	2			↓		↓	↓			↓
487	W	P	0	1			↓		↓	↓			↓
488	W	P	0	2			↓		↓	↓			↓
489	W	S	C	2			↓		↓	↓			↓
490	F	0	0	1			↓		↓	↓			↓
491	F	*0*	0	2			↓		↓	↓			↓

492	F	0	0	3			↓		↓	↓			↓
493	F	0	0	4			↓		↓	↓			↓
494	F	0	0	5			↓		↓	↓			↓
495	F	0	3	9			↓		↓	↓	•		Included With Above
496													
497													
498													
499													
500													

IV. DESCRIPTION OF DANGEROUS WASTES *(continued)*

E. Use this space to list additional process codes from Section D(1) on page 3.

Routine dangerous and/or mixed waste treatment that will be conducted in the 325 HWTUs will include pH adjustment, ion exchange, carbon absorption, oxidation, reduction, waste concentration by evaporation, precipitation, filtration, solvent extraction, solids washing, phase separation, catalytic destruction, and solidification/stabilization. These waste treatments will be conducted on small quantities of diverse radioactive, dangerous and/or mixed wastes generated from ongoing research and development and anayltical chemistry activities. Waste to be handled in the 325 HWTUs will include listed waste, waste from non-specific sources, characteristic waste, and state-only criteria waste. Multi-source leachate (F039) is included as a waste derived from non-specific source waste F001 through F005.

V. FACILITY DRAWING **Refer to attached drawing(s).**

All existing facilities must include in the space provided on page 5 a scale drawing of the facility *(see instructions for more detail)*.

VI. PHOTOGRAPHS **Refer to attached photograph(s).**

All existing facilities must include photographs *(aerial or ground-level)* that clearly delineate all existing structures; existing storage, treatment and disposal areas; and sites of future storage, treatment or disposal areas *(see instructions for more detail)*.

VII. FACILITY GEOGRAPHIC LOCATION **This information is provided on the attached drawing(s) and photograph(s).**

LATITUDE *(degrees, minutes, & seconds)*	LONGITUDE *(degrees, minutes, & seconds)*
° °	° °

VIII. FACILITY OWNER

☒ A. If the facility owner is also the facility operator as listed in Section VII on Form 1, "General Information", place an "X" in the box to the left and skip to Section IX below.

B. If the facility owner is not the facility operator as listed in Section VII on Form 1, complete the following items:

1. Name of Facility's Legal Owner		2. Phone Number *(area code & no.)*	
3. Street or P.O. Box	4. City or Town	5. St.	6. Zip Code

IX. OWNER CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Name (print or type)	Signature	Date Signed
Lloyd L. Piper, Acting Manager U.S. Department of Energy Richland Operations Office	LL Piper Revision 4 signed 06/30/97	06/29/2000

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Name (print or type)	Signature	Date Signed
SEE ATTACHMENT		

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Lloyd L Piper (Revision 4 signed 06/30/97) 6/29/00
Owner/Operator Date
Lloyd L Piper, Acting Manager
U.S. Department of Energy
Richland Operations Office

William J. Madia (Revision 4 signed 06/26/97) 6/23/00
Co-Operator Date
William J. Madia, Director
Pacific Northwest National Laboratory

Location of the 325 Hazardous Waste Treatment Units in the 300 Area.



SG97030295.4

Location of the Hazardous Waste Treatment Unit and Shielded Analytical Laboratory (main floor).



H9508027.1a

Location of Shielded Analytical Laboratory Tank in Room 32 and Location of 325 Collection/Loadout Station Tank (basement) of the 325 Building.



SG97030295.2

Shielded Analytical Laboratory Tank and Ancillary Piping



H9508027.2

325 Collection/Loadout Station Tank.



loadout

325 HAZARDOUS WASTE TREATMENT UNITS



325 Hazardous Waste Treatment Units
Room 528

46°22'6.8"
119°16'42"

96010398-22CN
(PHOTO TAKEN 1996)

325 HAZARDOUS WASTE TREATMENT UNITS

325 Hazardous Waste Treatment Units
Room 528

46°22'6.8"
119°16'42"

96010398-20CN
(PHOTO TAKEN 1996)

325 HAZARDOUS WASTE TREATMENT UNITS

325 Hazardous Waste Treatment Unit
Room 520

46°22'6.8"
119°16'42"

96010398-17CN
(PHOTO TAKEN 1996)

325 HAZARDOUS WASTE TREATMENT UNITS

Shielded Analytical Laboratory
Room 201

46°22'6.8"
119°16'42"

96010398-16CN
(PHOTO TAKEN 1996)

325 HAZARDOUS WASTE TREATMENT UNITS



Shielded Analytical Laboratory
Room 201

46°22'6.8"
119°16'42"

96010398-7CN
(PHOTO TAKEN 1996)

325 HAZARDOUS WASTE TREATMENT UNITS



Shielded Analytical Laboratory
Room 200

46°22'6.8"
119°16'42"

96010398-1CN
(PHOTO TAKEN 1996)

325 HAZARDOUS WASTE TREATMENT UNITS



Shielded Analytical Laboratory
Room 203

46°22'6.8"
119°16'42"

7908247-1CN
(PHOTO TAKEN 1979)

325 HAZARDOUS WASTE TREATMENT UNITS



Shielded Analytical Laboratory
SAL Tank

46°22'6.8"
119°16'42"

96010398-3CN
(PHOTO TAKEN 1996)

325 HAZARDOUS WASTE TREATMENT UNITS

325 Collection/Loadout Station Tank

46°22'6.8"
119°16'42"

loadout
(PHOTO TAKEN 1999)